


DECEMBER 1981

21

VOLUME 1 No 6



an appley

CHRISTMAS

TO ALL

OUR READERS



For everything apple .. ring

Lux Computer Services Ltd.

108 THE PARADE HIGH STREET WATFORD WD1 2AW Telephone: Watford (0923) 29513

- Business Software Professional Courses Pascal
- * Recreational Software * Interfacing * Cromemco Systems *
- * Level 1 Service Centre * Utilities * Colour Monitors *
- Supplies * Accessories * Enthusiasm * Open Tues Sat



BLUE CHIP SOFTWARE

10 Huson Close London NW3 3JW Tel: 01-722 8827

APPLE UTILITY PROGRAMS

by Ian Trackman

At long last - Apple have promised us that GO-BETWEEN (Standard Printer Version) will be available by the time that you read this advert!

With Go-Between, you can define your own printer commands and use them to control underlining, extended characters, etc. from anywhere within an Apple Writer file.

Go-Between also features a "screen print-out" to check your typing before committing it to paper, single- or twin-disk operation, lower-case compatibility, tabbing and much more!

\$26.50

Still going strong :-

| Control with the protect with | |
|--|--------|
| Go-Between (Centronics 737/739) | £26.50 |
| Super Trace - a comprehensive Basic trace utility | £27,50 |
| Super Editor - super-fast search and replace for Applesoft | £27.50 |
| Packing Suite - packs, unpacks and strips Rems | £27,50 |
| | |

Symdis - a powerful symbolic disassembler £22.50

hardcore

THE JOURNAL OF

THE BRITISH APPLE SYSTEMS USER GROUP WD2 6NF WATFORD P. O. BOX 174

EDITED BY DAVID BOLTON

BRITISH APPLE SYSTEMS USER GROUP

COMMITTEE

FRANK KAY

Chairman

JOHN SHARP

Secretary

DAVID BOLTON

Treasurer

JOHN RODGER

Librarian/

Information Officer

JOHN ROGERS

Software Librarian

TONY WILLIAMS Membership Secretary

BANKERS

National Westminster Bank Ltd., Brompton Square, London SW3 1HH.

MEMBER OF THE INTERNATIONAL APPLE CORE

COPYRIGHT (C) - The contents of this journal are copyright of the British Apple Systems User Group and / or the respective authors. However permission will normally be granted for non-commercial reproduction by user groups affiliated to the International Apple Core, provided the author and source are properly credited.

The opinions and views expressed are those of the various contributors, and are not necessarily supported by the British Apple Systems User Group.

CONTENTS

4 Editorial

5 The Software Library

John Rogers

6 Beginner's Pages

8 Courses 8 The First Noel

Ann Padley

John Sharp

11 BASUG at the Dutch Computer Convention

Tony Williams

14 Diskourse

Frank Kay

16 Applesoft 'Input Anything' Updated

Ian Trackman Cliff Wooton

21 DOS Command Syntax Table

Warren Avery

24 Pascal Pages

Tony Williams

27 PCW Fair

28 ITT Ninth Bit Addressing

Ken Gordon

31 Pippin's Page

Vernon Quaintance

34 Applesoft Compilers Compared

reprinted from Creative Computing

41 Readers' Letters

45 Book Reviews

46 Apple Panic

reviewed by Vernon Quaintance

ADVERTIZERS

2 Lux Computer Services Ltd

2 Blue Chip Software

5 Wida Software

7 Microsource (Jailbreak)

8 Lion Microcomputers

9 The Byte Shop/Computerland

10 Spider Software

15 K.J.Studios

18 Personal Computers Ltd

19 S.R.D. Software

19 Robocom Ltd

20 B.F.I. (Verbatim)

23 Systemics Ltd

26 Autocrat Computers

28 Portatel Conversions Ltd

29 Accutrak Disks

30 C/MP Computers

32 S.B.D.Software (Call-APPLE)

33 Microsource (Business Basic)

33 K.J.Studios (Plugit)

38 Apple Fan Special Offer

39 Hi-Teck (Apple Fan)

40 Mass Micros

44 Brucetel (Tantel)

45 Microsource (What's Where)

46 Microsource (Type-Right)

47 Pete & Pam Computers

48 Micro-Peripherals Ltd

Cover Picture - Another pictorial masterpiece from the versawriter of Norah Arnold.

EDITORIAL

With this issue we come to the end of the first - the weekend convention to be held in April volume of 'Hard Core'. The production of the 1982. We are sorry to report that this particular magazine has not been without its problems indeed each issue seems to have been accompanied by its own crisis - but from the response we get it appears that Hard Core is meeting a need. Without this encouraging response the magazine could well have foundered before now.

The positive response is not only from readers you'll notice in this issue contributions from several new authors, as well as more from the stalwarts. But don't (please!) take this to mean that you needn't bother - it takes a lot of material to fill a magazine every two months.

The actual production work continues to be a problem, which is considerably eased if we have plenty of articles in the bank (if we had a couple of month's buffer of articles we could share out the editing/proofreading burden more widely).

Another high spot is that that advertising is picking up. Because the magazine is produced entirely on a voluntary basis, we don't do much of advertisements, and potential advertizers, in fact have to work quite hard to get an advert into Hard Core. That they are willing to do this says a lot about the reputation of the magazine and indeed the group.

Despite the problems and the intense time pressures I've greatly enjoyed editing Hard Core and generally helping to get the group established. I'd like to thank all the other people who've helped and ask that this help continues hopefully from an ever-increasing group of people in 1982,

In this connection (!) would all of you who've got access to a Prestel terminal let us know, as investigating the possibility distributing software and perhaps even work (see the comment above on sharing the magazine workload) by means of a telephone link of some kind. Please state whether you have a link between your Apple and the Prestel terminal, and also let us know if you have a modem.

IN THIS ISSUE

You'll notice that for the first time we've re-printed an article from an American magazine. This is something that we thought we should find room for - Basic compilers are a new development, they fill a definite need, four are now on the market, all substantially different and a large proportion of recent queries are about these beasties! Hence this article, which as you will see is unfortunately already out of date.

The other thing to say about this issue is that I didn't edit it! It has been jointly edited by Tony Williams, John Sharp and myself, with substantial help from John Molloy, Fran Teo, Jane Davies and Stuart Morley.

WHAT'S HAPPENING

The last update gave advance news of "Apple 82" Apple has gone sour.

This event was originally conceived as a user convention and Apple UK (Microsense as it then was) approached BASUG and Windfall with a request that we jointly organise this with Apple providing the funding.

Windfall wanted to organise on their own behalf a money-making exhibition to be held in conjunction with this convention and although Apple originally agreed to this, the commercial trend of the affair together with policy changes consequent upon the take-over of Microsense by Apple led them to withdraw their sponsorship. In these circumstances it was decided that BASUG would not participate in this event but would instead revert to our previous idea of holding a weekend convention later in the spring in conjunction with our AGM.

Welcome to our 901st member! And guess who? Apple Computer Ltd, of Cork City, Ireland. Do you know something that Apple UK doesn't?

PRODUCT NEWS

Lion Microcomputers are at present offering a very good deal on ITT 2020 computers which come together with a disk drive for £699 + VAT. As long as you appreciate the differences between the machine and an Apple this could be an extremely appealing proposition for school use, as a dedicated business system or as a back-up system.

The PEAR II (only it's not called that any more) has finally been launched and was on show at COMPEC. Basically it's an Apple, with 14 slots, full Upper/Lower case keyboard, but without (for copyright reasons) any firmware. Still this will only knock you back £40 or so, making it lassuming it is as good as it looks and we haven't tested it yet) an attractive alternative at a trifle over £1000 to a standard Apple at £812,

Look out for a new DOS soon (DOS 4.0 perhaps). We'd expect this this to support larger disc storage (8" and Winchester) as well as expanded memory options,

It appears that early in '82 Apple planned to make a European keyboard with Upper/lower but were told there was no demand for it. Whoever did they ask?

It seems that with D C Hayes showing a positive lack of interest in Europe, the Apple-approved modem for the European markets will be the Cat Novation. Typically, the French telephone authorities approval of this device hinges on it being made in France, and this it seems will happen.

Pascal Utilities are, Apple say, coming soon.

David Bolton

THE SOFTWARE LIBRARY

By John Rogers

Firstly we must apologise for the delays in fulfilling software orders. Normally it would take about 2 - 3 weeks from posting your order to receiving the disks. This does depend on the timing of the various stages e.g. order posted on a Friday and/or not enough time to process it immediately. Recently the time taken to process orders has increased due to two main factors. One, the flood of orders received for disks 20 - 23 and 30 - 34 and, secondly, co-ordination problems within the process.

With the above situation and the prospect of the Christmas post looming up, orders will be taking longer to process. Again we are sorry for this, but we are doing our best in the time available to us to carry out this voluntary work.

The use being made of the C.S.L has very much decreased recently, one of the main reasons being the inclusion of programs from the C.S.L into the S.D.L. It has therefore been decided to withdraw the C.S.L for obtaining programs. Please note that it WILL continue to receive contributed programs from members on the same basis laid down, ie. the credit system will continue in the same way. Programs currently in the C.S.L, and all future submitted programs, will be formed into whole disks and then form part of the S.D.L.

We are currently in the throws of producing a booklet (or booklets) that will give short discriptions of the programs in the software library. There are one or two people who have volunteered to help compile such a booklet, but as can be seen from the growing library, a lot of work is required. Therefore we would like people will to commit their thoughts and observations on programs to Apple-Writer files. If you are willing to help, please drop me a line then we can discuss more fully what is required.

As a final note, we wish to clarify the point that only members who have contributed software to the library and are in credit, are eligable to the discount or credit as in the August edition of Hardcore.

Software

Wida Software

Specialists in Educational Software for Schools

APFELDEUTSCH.....£ 120.00 CAL course in German; Beginners to O'Level and beyond. Textbook: Workbook: 6 Language Lab cassettes: 9 Apple disk of teaching and testing routines.

Apple only. (20% discount for schools)

TEACHER'S TOOLKIT......(Apple disk) £ 20.00 (Pet cassette) £ 15.00 Starter pack for building up library of tests. No knowledge of computing needed. Suite of five programmes; Tester, Testmaker, Editor, Multiple Choice specimen, Directory of tests

LERARENPAKKET......(Apple disk) £ 25.00 Teacher's Toolkit as above but with on-screen instructions in Dutch

GERMAN ROUTINES......(Apple disk) £ 15.00
(Pet cassette) £ 10.00
Stand alone teaching and testing routines

Stand alone teaching and testing routines - article and adjective endings, word order, pronouns, etc. Send s.a.e for details

PEDAGOG AIDS......(10 Apple disks) £ 60.00 Life raft for teacher thrown at the deep end of Computer Studies. 20 Apple programs taking you to 0'Level.

SHAPE MANAGER......(Apple kit) £ 59.65
The easy way to build up shapes and use them in
your program. Does for shapes what a word processor does for words. From Sinta Software

TYPE-RIGHT......(Apple kit) f 46.50 Lower case word processing with Apple Writer. Full shift key operation. Plug-in fitting with disable switch. Manual, fitting instructions, software on disk.

APPLE PILOT..........(2 disks) £76.00 The ultimate language for teachers; mix sound, graphics and text on-screen in your teaching programmes. And much else. Disks and manuals

ARISTOTLE'S APPLE...... (Apple disk)£ 20.00 Authoring system; easy to use multiple choice matching tests. Includes alternative answers.

LUDINSKI'S LOGS......... (Apple disk)£ 20.00 O'Level revision of logs problems. Teaching, testing and scoring. Correct solution rewarded by 25 seconds of arcade game.

FRENCH AND GERMAN CHIP (for Pet) £ 35.00 Plug-in replacement chip for (New ROM) Pet Gives Umlauts, accents etc. Easy to fit and use. Full instructions

THE LOWBROOK TAPES..... (Pet cassette) £ 10.00 Suite of six numeracy programmes for the primary school (fractions, carrying over, etc.)

COMPUTERS FOR KIDS.....(book) £ 4.00

A Basic programming manual written just for kids. Special section for teachers and parents. by Sally Greenwood Larsen Apple II plus edition

All prices inclusive of VAT postage & packing free

Contact



Wida Software The Red House 2 Nicholas Gardens London W5 5HY Tel (01) 567 6941 or (062 882) 5206



BEGINNER'S PAGES

by John Sharp

A number of beginners have been writing in requesting help with binary files, so this month let's begin with a look at what files you might possibly have on a disk.

If you catalog a disk you will get something like this:-

A 002 HELLO

I 020 DRAGON MAZE

A * 004 PROGRAM 1

B * 002 FILE 1

T 003 TEXT FILE

R * 005 ANOTHER FILE

You may not get all these on one disk, and indeed you may not even have seen a T or R or even B on your disks. Leaving aside the first column of A,I,R,T,B for the moment, what does the rest mean? Well: the * tells you if a file is locked. If it is locked, you cannot write to the disk using the same program name. That is, you cannot wipe out your program on the disk by overwriting it. The number denotes the number of sectors the program takes up on the disk. As a rough guide each sector is 0.25K. The name to the right is just that, the name of the file. I say file because it is that rather than a program. It is only when entered correctly into the Apple that it becomes a program, if that indeed is what it is. A file with a T in the first column, is not a program. It might be a TEXT file to EXEC or it might be, as the prefix suggests, a TEXT file. A TEXT FILE is a bunch of data ready to be read into a program, e.g. a set of records, such as a set of names and addresses. If you want to see what is in a TEXT file then type:-

MON C,I,O <RETURN>
EXEC XXXXXXX <RETURN>

where XXXXXXX is the name of the TEXT FILE you want to look at. As each bit of data is printed, since you are doing the equivalent of typing in directly from the keyboard and pressing return, you will get a SYNTAX ERROR, just as you would if you typed a command the APPLE does not understand. You can slow down the screen printing by using CTRL-S. It tends to be a little noisy because of all the beeps and syntax errors, but can be a very useful tool. Alternatively, you could use the READ TEXT program on the master disk.

The A and I program file names are fairly straightforward. They correspond to APPLESOFT

and INTEGER program files respectively. Unless you are only running disks that boot and take over the machine, you will be familiar with both of them.

The problem arises, however, with B (and R) files, B stands for BINARY FILES. R stands for RELOCATABLE FILES which are a special type of Binary file. You will see some on the DOS 3.3 TOOLKIT disk. They are produced from the APPLE ASSEMBLER on this same disk. So with one slight difference, they are basically the same type of file, a saving of a batch of machine code on disk. This can have various functions once it is in memory and this causes the problems for beginners.

The first type of file it can be is a program, written in machine code to make it run faster. A program example is a FID, MUFFIN or MASTER CREATE (on DOS 3.3 MASTER), and UPDATE 3.2.1 (on the DOS 3.2 MASTER). In order to get these to run as programs, simply BRUN FID or whatever the program name is.

Before going further, let me say a word about the number 034 or whatever is the number of sectors the file takes up on the disk. It only helps you (and the DOS) to keep track of how much of the disk you are using. This is dealt with in the DOS manual so I will not go into it here. For those members with tape only it wil help to explain what these numbers mean in the software library lists. As a rough guide, four sectors equals 1K of

program.

The next type of file is a Hi-Res Picture that has been saved. The length of memory taken up by a Hi-Res Picture is 34 sectors; so if you see !-

B * 034 BASUG LOGO on a disk catalog, you can be fairly confident that it is a picture. There may be other binary files coincidentally 34 sectors long which are not pictures, but the name usually tells you they are not. Alternatively, there are now ways of compressing pictures, so a picture can be less than 34 sectors. You then need a special program to put them back on the Hi-Res pages correctly. If you try to BRUN a Hi-Res picture, anything could happen. Normally you will just halt in Monitor. Try a few and see. You will not do the Apple any harm, just confuse it.

The third type of binary file is a set of data used in a program. It is a little bit like a text file except that it is totally machine code and would mean nothing except to the program that uses it. The best example is a shape table, which is a set of points and directions. If looked at other than a shape table by the program you are using, it is

some indication such as MARTIANS.OBJ or MARTIAN.SHAPE to let you know it is used in another program, The DOS 3.3 TOOLKIT fonts for example are labelled BYTE.SET, ROMAN.SET etc. to make this clear. It is as important as putting REM statements in if you wish to let others know what is going on. On some of the software library disks there are binary programs with just a single letter or a pair of letters; these are fairly obviously used by another program, and the author has made them too short to make you think to run them; the name just doesn't mean anything.

Another type of set of machine code might be data, as for example in the COPY program on the 3.3 Master disk. The copy programs look like this:-

- * I 009 COPY
- * B 003 COPY.OBJO
- * A 009 COPYA

There are versions for you to use for copying disks if the BASIC you are using is INTEGER (the first one) or APPLESOFT (the last one, which has an A tagged on the end since two programs cannot have the same name on the same disk otherwise there would be confusion when it came to running them.) In between is a machine code set of data for the other programs (both of them) to use. If you list these programs you will see a line that has a print"BLOAD COPY.OBJO"at line ... Why no D\$=CHR\$(4), well there is an invisible CTRL-D. You could see this if you used something like The APPLESOFT PROGRAMMERS ASSISTANT on the DOS 3.3 TOOLKIT, or the PROGRAM LINE EDITOR.

The most confusing programs on the 3.3 Master it would seem are catalogued as:-

B * 050 FPBASIC

B * 050 INTBASIC

They are in fact APPLESOFT (or Floating Point BASIC) and INTeger BASIC, respectively. If you have a language or RAM card, these files will be loaded onto the language card and the card locked so that it appears to be an INTEGER CARD or APPLESOFT ROM CARD, If you have an APPLE II PLUS, look at the HELLO program, by just loading it. LINE 210 has "BLOAD INTBASIC, A\$DOOO". Again there is an invisible CTRL-D. The A\$D000 means load it at position D000 in memory, which is on the language card.

When a binary file is saved, it is necessary to tell DOS the start and ending locations of the program. This information is saved onto the disk. When you load the program back, it will be loaded into the same position, unless you tell it otherwise. The A\$D000 in this BLOAD statement

totally meaningless. A good programmer will put tells it not to load it where it was saved from. This is in fact in the middle of memory and it will load there if you just BLOAD INTBASIC. If you try to BRUN INTBASIC, since it is not written to run in this location, but on the language card, then it will cause you to think your machine has developed a fault.

> If there are any more problems, please write in and we will see what help we can give.

THE LAST WORD

Finally, for those of you who are not members of the British Apple Systems User Group, we welcome all users of Apple Systems (Apple, ITT, and Pearcom machines). Membership for the calender year 1981 (including all back issues of the magazine) costs £10, and 1982 renewal subscription is also £10. If you join for the first time in 1982, there is a one-time application fee of £2.50. For your subscription you get an introductory disc, subscription to Hardcore, access to software and book libraries, and regular meetings in various parts of the country. Simply send your cheque to BASUG, P.O.Box 174, Watford, WD2 6NF.

COME OUT FROM BEHIND THOSE HI-RES BARS

Now you can run any hi-res program written for your Apple on your 2020 witout the annoyance of the 40 vertical bars. Chess and complex games are a joy to behold.

- * Saves having to modify programs to 2020 standard ino mean task with complex games which can be over 16K bytes long).
- No soldering required Fit in five minutes by following the simple instructions,
- * Switchable between Apple and 2020 nodes.
- * Compatible with Apple PASCAL and Microsoft Softcard BASIC.
- * Gives 280X192 hi-res dot screen like an Apple (the 2020 normally gives a 360X192 hi-res dot screen). Text and lo-res are unaffected.
- * Does not support hi-res colour. Colours produce various shades of grey on a b&w display.

£33

inclusive.

MICROSOURCE

1, BRANCH ROAD, PARK STREET, ST.ALBANS.

TEL: 0727 72917 & 09273 75093

COURSES-COURSES

We apologise for the delay in replying to your letters regarding the courses outlined in the last edition. Unfortunately, because he has started a new job, Eddie Payne has had to resign from the committee. Many thanks for all the work you put in Eddie, especially at the PCW show, and best wishes for your new job, life, incarnation? The fact that Eddie has come to his senses has put a strain on the other members at a time when there has not been much free time and many pressing items to be dealt with. At the moment, we are hoping to run the BASIC for Beginners and Machine Code courses, with details sorted out (we hope in UPDATE 6) and the PASCAL COURSE of course! The PASCAL course, as postponed from early this year, will be run in June. It will probably be a three day-long weekend, and accommodation will be available. The Business software could be run if someone is prepared to lead/organise it. We would also like someone to lead a workshop/course for hardware, e.g making your own cards. Any volunteers for either of these?

Best Value Word Processing in Town!

"A BARGAIN"

Financial Times 16.10.81

| Tick Box | |
|---|--|
| £699 | * Powerful ITT 2020 Micro Computer with disc drive and word processing software |
| £899 | * As above, with silent printer |
| £1,429 | As above, with letter quality printer and green display screen |
| Prices Exclude V.A.T. | * Works with any T.V. or Home Monitor |
| FULL CREDIT | TERMS AVAILABLE |
| Training and Maintenance HOUR HOT LINE - 01 63 | e all available ring now on our 24 6 9613 to find out more |
| Or cut out the ad, fill in | Name |
| the details and send to:- | Address |
| Lion Micro Computers 227 Tottenham Court Roa | d |

London W1P 0HX

THE FIRST NOEL

by Ann Padley

This should be a very useful program to have standing by at this time of year. It will almost certainly drive your in-laws out of the house and will probably annoy carol singers greatly, as it goes much faster than they do. By halving all the values in data statements 400,401 and 402 you you can make it go very fast indeed. By selecting random 2-figure numbers for data statements 200, 201 and 202 you can make strange noises. Best of all, by adding a 'GOTO 500' statement at the end you can have continuous background music all through Christmas Day.

- 10 POKE 768,173: POKE 769,48: POKE 770,192: POKE 771,136: POKE 772,208: POKE 773,5: POKE 774,206: POKE 775,81: POKE 776,3:
- 20 POKE 777,240: POKE 778,9: POKE 779,202: POKE 780,208: POKE 781,245: POKE 782,174: POKE 783,80: POKE 784,3: POKE 785 ,76:
- 30 POKE 786,0: POKE 787,3: POKE 788,96:
- 50 DIM T(72)
- 60 DIM D(72)
- 100 FOR L = 1 TO 72: READ T(L): NEXT
- 200 DATA 101,112,128,112,101,95 ,83,75,67,64,67,75,83,75,67, 64,67,75,83,75,67,64,83,95,1
- 201 DATA 101,112,128,112,101,95 ,83,75,67,64,67,75,83,75,67, 64,67,75,83,75,67,64,83,95,1
- 202 DATA 101,112,128,112,101,95 ,83,64,67,75,75,83,64,67,75, 83,75,67,64,83,95,101
- 300 FOR K = 1 TO 72: READ D(K): NEXT
- 400 DATA 50,50,150,50,50,50,200 .50,50,100,100,100,200,50,50 .100,100,100,100,100,100
- 401 DATA 50,50,150,50,50,50,200 ,50,50,100,100,100,200,50,50 ,100,100,100,100,100,100 ,100,100,200
- 402 DATA 50,50,150,50,50,50,200 ,50,50,200,100,250,100,100,1 00,100,100,100,100,100,2
- 500 FOR L = 1 TO 72
- 600 POKE 848, T(L): POKE 849, D(L) : CALL 768
- 700 NEXT L



BYTE SHOP COMPUTERLAND

Special offer for B.A.S.U.G. members

BMC 12" monitor Green phosphor, 18MHZ bandwidth

Wabash disks (box 10)

£15.00

£119-50

Great deals for the month of December on ALL Apple listed products and various printers.

324 Euston Rd, London NW1 3BG. TEL 01-387-0505 PRICES EXCLUDE VAT. VISA + ACCESS ACCEPTED

Spider Software

| Alien Rain (Galaxian) - Colour + hi-res version of pub game |
|---|
| Alien Typhoon – A much more difficult version of Alien Rain |
| Apple Panic - Chase little apples up and down ladders |
| Autobahn — Road race game with sound and hi-res graphics £14.95 M48K |
| Both Barrels - 2 hi-res action games on one disc£12.95 M48K |
| Cranston Manor – A new hi-res adventure like Wizard & the Princess £19.95 M48K |
| Cyber Strike - 3-D hi-res action adventure in space |
| Demon Derby (Hyper Head-On) – 4 skill level hi-res car race game £13.95 M32K |
| EXPEDITER II - THE APPLESOFT COMPILER AT A LOW, LOW |
| PRICE £56.95 A48K |
| Galaxy Wars - Colour graphics + Sound effects + Hi-Res £13.95 M32K |
| Gamma Goblins – Yet another superb hi-res action game |
| Gobbler - Eat up the dots but watch out for the Gobblers |
| Gorgon – Another superb pub game for your Apple£21.95 M48K |
| Hi-Res Cribbage - The titled describes it. Even hear the pegs move £14.95 M48K |
| Hi-Res Soccer – English football for 1 or 2 players in hi-res £16.95 M48K |
| Missile Defence - Hi-res animation and sound arcade game |
| Mission: Asteriod - Hi-res adventure in 21 colours. Save the World1 £10.95 M32K |
| |

| Mystery House - Hi-res adventure using over 100 pictures£12.95 M48K |
|---|
| Oldorf's Revenge - Hi-res adventure with 100 rooms. £11.95 A48K |
| Operation Apocalypse — Four computer simulations of World War II £35.95 A48K |
| Orbitron – Fight off enemy forces and avoid meteor showers £14.95 M48K |
| Paddle Graphics - Draw your own pictures in 21 hi-res colours£21.95 A48K |
| Pool 1.5 - Hi-res colour graphics pool table simulation. 4 games £19.95 M48K |
| Pulsar II – 2 superb hi-res games on one disc£14.95 M48K |
| Sneakers — Waves of little creatures attack you in hi-res |
| you in hi-res |
| Space Eggs — Hi-res super-fast arcade style game£14.95 M48K |
| Space Warrior - Hi-res pub game£13.95 M48K |
| SUPERSCRIBE - WORD PROCESSOR. TRUE UPPER/LOWER CASE ON |
| SCREEN£73.95 M48K Tarturian (Wizard) — Another hi-res |
| adventure with 160 rooms £14.95 A48K |
| The Shattered Alliance — Swords & Sorcery on a far-flung world £35.95 A48K |
| The Warp Factor – 1 or 2 player hi-res Star Trek/Space War game£23.95 A48K |
| The Wizard and the Princess - Hi-res adventure in 21 colours £18.95 M48K |
| A: Requires Applesoft in ROM. M: Will run on any Apple II. |

WE DON'T JUST SELL GAMES

We can also supply Visicalc, Wordstar, Z80 Softcard, 16K Ramcards, etc at very competitive prices. If you want anything Apple please contact us.

WE ALSO OFFER A BESPOKE SOFTWARE SERVICE WHICH IS SECOND-TO-NONE

Prices include VAT at 15%. Add 50p p&p for orders under £30 totally.

Please write or telephone for your free copy of our up-to-date software list.

DEALER INQUIRIES INVITED. PERSONAL CALLERS BY APPOINTMENT ONLY PLEASE

Spider Software

98, AVONDALE ROAD, SOUTH CROYDON, SURREY.
Telephone: 01-680 0267 (24 hours a day — 7 days a week)

BASUG AT DUTCH COMPUTER CONVENTION

by Tony Williams

The weekend of November 27-29 saw a mass migration of BASUG members through Belgium (lemmings through the flemings!) toward Utrecht where the 6000-strong Dutch Computer Club was holding its annual get-together in the Juliana Hall,

This is my hastily written report.

Let me first give the club's thanks to the Dutch Club for their hospitality and for their great organizational skill (i.e., you didn't notice it). They have hit upon the very, very successful formula of taking over a great barn of a hall, erecting sturdy wooden market stalls (covered, against the rain?) and renting out space very generously at a low, low price. Just as important, the broad thoroughfares between rows of stalls gave the ten thousand or so visitors ample room to spread their wings. The English shows are mean, over-inflated and money-grubbing by comparison. The catering ranged from posh restaurant to inexpensive but good sausage stalls, BASUG would be proud to mount a show of this calibre.

What were you all doing there and how could BASUG afford it? How come you people down there in the southeast are off spending members' money on a foreign junket? you will be asking. Answert we didn't. Our twelve person delegation went at our own expense, fares, petrol, hotel bills etc. However, because we were carrying a full carload of BASUG materials, including six cartons of Hard Cores, for instance, we felt justified in paying the hovercraft fare and petrol of one of the three vehicles. Point two: it wasn't a junket - a hard day's drive there, a full day on the BASUG stand, a day driving back - not really a fun trip, Results: thirty odd members recruited, all the magazines sold, BASUG's name made known. Write in and let us know if you disapprove of this kind of enterprise - and we will send the boys round to knack on your door,

More important, however, was the personal contact made with members of European Apple groups big and small. This brings us to another pressing reason for our presence in Utrecht.

The only off-exhibition event to take place was the conference of the European IAC in the Beatrix Hall. This was organized by the European president of the IAC Wolfgang Dederichs, with the intention of bringing the

European Apple Users groups together for the confronting and jointly time representatives of Apple Paris. This was largely successful in the first part, less so in the second. Apple wisely chose to fund this one considered it not event, but unwisely important enough to send along their top men. Perhaps this was because they think very little of user groups in general, but also because they are still failing to take account of the real needs of the public - and the measurable

benefit of user groups to Apple itself.

Let's go back to the beginning. Wolfgang Dederichs frankly admits that he got the job of European director because he was the only European to attend the Chicago International Apple Core convention last year, 'International' you will remember, means outside California. "You're from Europe, eh? Okay, you be Director, Europe". Fair enough, But director of what? that is the question. There is no IAC Wolfgang organization, and as explained, in any case the IAC is presently embroiled in a legal wrangle with Dilithium Press (which publishes Apple Orchard which finances the IAC). This has effectively meant that the IAC's funds have been cut off and is apparently the reason why we can't get regular supplies of Apple Orchard.

So if IAC is to get off the ground in Europe we have got to do it ourselves, if we want it to. In his opening remarks Wolfgang gave us an "top-down" historical overview of the structure we are all part of:

> Apple Computer Inc. International Apple Core (IAC) User Groups

Historically, we are told, the IAC set up or somehow gave rise to the User Groups and now information is disseminated downwards and upwards via the IAC. All a load of codswallop, of course, As many of us know, BASUG constituted itself with no outside inspiration or help and we merely paid our dues to join the IAC's Faraway Tree, Information we scrabble together ourselves, and whenever a meeting of importance has been arranged we have

invariably been informed too late to participate, if at all. What goes for BASUG goes for all the European groups represented at the meeting. So we have a rather jaundiced view of future prospects. In brief, our attitude is to maintain a positive if cautious watching brief! we think cooperation is a good idea, and are in favour of the IAC too, if properly organized. We will respond 'from below' to any initiatives from Apple 'above',

As our very own Richard Zawadski so forcefully put it, at the exhibitions and fairs throughout Europe the user groups are standing in the front line for Apple, Prospective buyers are checking with us first before making their decision. But, as G. van de Woude also pointed out, Apple responds to this in the most cynical way - "Great, carry on the good work fellas!" (Aside: "Suckers! We just love an unpaid volunteer sales force!"). Not good husbandry. Lack of appropriate recognition could turn us sour on Apple and this could make a perceptible dent in Apple's sales profile. After all, as C. Bongers reminded us, the Pearcom has shown itself to be very responsive to European requirements and it has produced what is in many respects the Apple III we actually wanted instead of what we got. (I had thought that the whole purpose of the trip was to bring a Dutch manufactured Pear for the club, but I only succeeded in getting my wrist slapped).

Catching the flak all this time was Howard Stegner from Apple Paris, He did a remarkably good job for them, all things considered, although he was really given a going over. Let me explain. Howard is on the technical side and was sent to tell us about new products. There is only one new product, the Apple III. However Howard was able to give a very competentand detailed description of what it does and what went wrong the first time around. But he was trying to "convince the unconvincable" (R.Teed). The point is that whereas Apple II was aimed at the home user, it was quickly taken up by the small businessman and educationalist, etc., with the result that the home user now forms only a thin wedge of the Apple market. Reflecting this, Apple III has deliberately been designed and priced to cut the home user and hobbyist out. Although overall compatibility with Apple II was aimed at, woe betide any user with Mountain Hardware boards, or the Sup'R Terminal - their cards are simply too long!

Where does it all leave us? Out in the cold! Plans to bring out European editions of the Apple II with easily accessible lower case and special characters for foreign word processing have been officially shelved. Apparently it is DF the ingenuity outside felt that manufacturers is enough to make up for the Apple II's inbuilt drawbacks, its lack of true shift upper and lowercase operations, etc. The fact that these are all stopgap fiddly adaptations is a fact of life that has to be lived with. The Apple III, it must be said, does have lower case access and user definable foreign character sets, etc, which just about brings it into line with every low cost micro to be seen nowadays.

To summarise, the mood of the meeting was one of pessimism vis-a-vis the prevailing corporate attitude at Apple and a feeling that the company is less than adequately equipped in products or ideas to face the developments of the next two or three years. If Apple is to count on the support of the user groups it will have to reveal a hitherto concealed 'user-friendly' face.

Space and time forbid a more detailed review of all the other talks given during the day.

Much more positive things emerged from the conference. We were able to get a first taste of the way other Apple user groups do things.

We already know that AUGE (Apple User Group Europe — they really have to do something about that name; they are the German-speaking user group and should not claim to be otherwise.) has a pretty refined decentralised structure — which made it possible for them to send along members of their local regional branch (a two-hour drive). At BASUG we haven't been able to get around to tackling this problem systematically yet, but after all, they are two years older than us. AUGE has some 1100 members.

One of the most promising areas in which BASUG can be of some use is in assisting the fledgling 30-strong Club Micro Informatique Apple from Paris, This club has taken a completely different tack from ours: members pay a very high membership fee (800Fr,I think, for which they receive lessons in BASIC making it much cheaper than commercial courses). Virtually all members are brand new to Apple and need a lot of instruction and self-help. This is an idea worth emulating. This tiny group represented by Judith Kertesz (responsible for "Relations exterieures", I love it) is a kind of reaction against earlier French clubs whose whole reason for existence was copying software.

Members would spend three hours of an evening doing nothing else. This kind of activity, (which members who attend our meetings will know is not BASUG practice) is not only illegal but ridiculous. The days of indiscriminate acquisition of material have long since gone - there is only so much that one can assimilate and utilise. What is worse, it lends credence to Howard Stagner's claim that Apple regards user groups as no more than pirating organizations. Sometimes they are.

So, although quite different from BASUG, the MMCC seems to be close to us in ideals. Although new they are already at a point which we are trying to reach – witness our so far abortive attempts to run a PASCAL course. For our part we intend to help them with tips about how to produce a amateur magazine. The type of quality achieved in Hard Core, incidentally, is an important element responsible for the

recruitment of overseas members.

We also spoke to Zeliko Lalic of Yugoslavian Apple Users Group where Apple is fighting an uphill struggle because of foreign currency restrictions. The only way for them to enter the country is in the form of spare parts which are then assembled in Yugoslavia, This drives the price up but the Apple is still in great demand, As for users, these exclusively businessmen or institutions. "Private individuals" are not allowed to own computers. One wonders how the authorities will succeed in preventing 'guest workers' returning from Germany from owning their own handheld Sharp computers? I hope someone in Yugoslavia will write in to say that I am mistaken and that there is no such law. Zeljko, incidentally, is a living proof of a long held theory of mine that certain people in middle Europe manage to get around the world far more effectively one way or another than inhabitants of the so-called 'free world'.

But what about Holland? Thriving, thriving, some 700 members or so, all very active, very bustling. Apart from the ability to get on their feet and present their case in impressively fluent English (don't worry, BASUG managed to field three Dutch speakers!) members of the Dutch club seem to be hobbyist in orientation, all devising their own programs and very low cost devices (like lower case chips, etc.) made available to members. As a gesture of friendship G, van de Woude presented BASUG with a Super Sector Editor written by Paul Spee of the AGGN (Apple Gebruikers Groep) together with documentation. This is to be made

available to BASUG members for non-commercial use (details to be announced later).

The AUGE group similarly seems to be successful in culling original contributions in software and hardware from its members, and this again is a direction BASUG would want to go in. Not easy.

BASUG's membership would seem to be broader than that of other clubs (I stand to be corrected), covering a wider spectrum of professions and reasons for joining. In other clubs the hobbyist element and spirit seems to be dominant. I personally think we have put our finger on the members' needs all right and are more likely to come with something which would assist, say, the application of microcomputer technology to the study of kidney disease than if we had a more hobbyist orientation.

Wolfgang Dederich assembled an impressive display of European made cards, and I mention only a staggering 16K Z80-driven Printer Buffer Card (Get it? You write 16K's worth of text or whatever to the buffer card which then gets on with printing it, while you do something

else with your Apple

I have to admit that I failed to make contact with the Belgian group, for which I apologise. The only thing I can only say is, please write to Hard Core and tell us about yourselves, tell us what you are up to, anything of interest.

One of the most important insights to emerge from the meeting in Utrecht is that we all need to know what is going on and to get the lines open. IAC Europe may be in never-never land, but Hard Core is in the here and now. Use it! Write to us with short pieces about your clubs, but also make substantive contributions (on Apple Writer disks please!). Don't worry about writing in fancy English - we can edit out your boo-boos. If you send camera clean hardcopy then follow the column widths in Hard Core exactly.

So who are the silly people who are prepared to take three days out of their lives, and pull a big roll of money out of their pockets all to stand for eight hours at a market stall and not see anything of Utrecht?

Let's take it by the carload: many thanks to Tom Winkel (a native of Utrecht) for driving myself, Stuart Morley and John Molloy to Utrecht and for finding us all a hotel, Richard Teed was rewarded for transporting John Sharp, Derek Botfield, Linda and Richard

Zawadski, by having to watch his Land Rover, complete with BASUG gear, being towed away on the back of a crane truck. (His overnight parking space had been magically transformed by morning into a flower market! He had obviously got his spells wrong). After much gesticulation and the exchange of banknotes the driver agreed to release the vehicle. Dave Bolton had done the sensible thing and flown over, at the same time giving Sarah (his daughter) a birthday gift (her first flight and a day trip to Amsterdam). She returned the compliment by drawing the names of three BASUG members in the raffle for redundant Apple cards in the evening. We have to assume it was coincidental. Fran Teo and business partner Brian Jolly also spent most of the day on their feet at our stand. The thanks of the committee go to all these crazy people and we hope they derived some benefit from it too. Lastly our thanks go to Wolfgang Dederichs for putting the afternoon conference together so successfully in the face of considerably odds. But please, Wolfgang, next time you want us to give you a hand stapling a thousand leaflets together, try not to make it midnight. We have enough of that with Hard Core.

DISKOURSE, or "FLOPPY FOLLIES", or WITSMILTCH

By Frank Kay

I am sure that many readers accept that they may reliably buy floppy disks for their Apples by simply asking for exactly that kind, and have no interest in why there are differences between these and diskettes for any other drive which uses the 5 1/4" format. However, there has been quite a lot of correspondence from members describing their experiences in having acquired diskettes which for some reason don't seem to work in their Apple drives, so a brief description of the various terms that apply might be

Firstly, a floppy "straight from the box" (unless you have paid extra for a pre-formatted one!) is completely blank magnetically, and a diskette controller will not be able to decipher any meaningful information from it - hence the buzz, followed by "I/O ERROR", that emanates from your Apple if you put a new diskette in and try to read it!

A diskette in fact contains two types of information. It is easy to think of the first type, which is in fact the data that you ask your Apple to write to the diskette so that you may recall it at some point in the future. The second type is not so obvious, and way be thought of as the "pigeon holes" that your data is kept in. A "pigeon hole" is a sector on the diskette, and the diskette system needs to be able to identify each "pigeon hole" so that it

can in fact do what you expect of it. "pigeon holes" are generally referred to by specifying the side, track, and sector of the diskette that each one occupies, and it is the way in which this information is handled that determines the description of a particular diskette type. Most diskette operating systems provide programs that allow a diskette to be "formatted", or, in other words, to have all its "pigeon holes" set up with blank data in the format that it understands. In the Apple case, this happens when you "INIT" a diskette.

Sidedness is simple. A diskette generally has two sides (sic), but a single-sided diskette means that the surface is only warranted to be good on the side that is conventionally used by a single-sided drive. The single side is actually the one on the opposite side of the diskette from the manufacturer's label. In fact, most manufacturers nowadays set out to make double-sided diskettes, and sell those which have emerged from the factory with only one good side as single-sided. If production quality is too good, they will make up the requirement for single-sided disks by selling some which in fact have two good sides as single-sided, thereby losing some money! But be warned - you cannot tell, except by trying each diskette individually, whether the diskette is good both sides. Taking this on trust is asking for data to be lost! Double sided diskettes are most commonly used in drives which have a read/write head for each side (the Apple drive doesn't), but may also be "flipped" (in other words taken out of the drive and turned over). This latter trick requires that you cut an appropriate write-permit notch in the diskette cover.

Now, a word about recording density, You will find diskettes are sold as single or double density, and are now becoming available certified for 80 recording tracks (the Apple drive only uses 35). The greater the recording density, the more difficult the diskette surface is to make, and so the more expensive they are. Diskettes certified for use at higher densities will certainly work at lower ones. The reverse is not true, however, and if you try it, you will reap similar rewards to those of using both sides of a single-sided diskette.


Next, the sectoring technique. In the early days of diskette technology, provisin was made for the diskette controller to determine where the sectors were on a diskette track by sensing the presence of a small hole in the diskette, one for each sector. There is usually an extra hole to indicate the first sector, and this technique is called hard-sectoring. By using this technique the diskette controller can locate the data on the diskette without needing to use the read/write circuitry, which can save processing time, It is still neccessary to have formatting information around the data for reliability. Since most microprocessor applications have nothing to do but wait for the data when it is required from the diskette, and because the controller is simpler to build that way, the technique of soft-sectoring has become common, in this, the presence of a sector is determined by reading the formatting information continuously until the required sector is found. This formatting information is magnetically stored on the diskette, rather than physically indicated by a sensing hole - hence the name. A first-sector hole is usually

present on the diskette, since this may be useful to the controller. There is no physical difference between hardand soft-sectored diskettes other than in the number of sectoring holes that are present. For the curious, you can see the sensing holes on a diskette - but be careful, since fingermarks on the recording surface will not improve the readibility of data. If you hold the diskette carefully by one corner of its cover (that's the square black bit!), label side up, and gently grip the inside edge of the big hole in the middle of the magnetic surface (that's the grey/brown bit!) with thumb and forefinger of the other hand, you can turn the magnetic diskette. As you do this, within one revolution you will see a small hole in the magnetic diskette through the small hole in the diskette cover - if only one is seen, the diskette is soft sectored, the usual standard for Apple (it's cheaper). Don't worry if there is more than one, though - simply read on, once you have put the diskette back in its envelope (which you always do, don't you?).

Finally, what use is all this information? I hope it will reassure Apple owners, since, in fact, the Apple diskette controller and drive requires only single-sided, single-density diskettes, and does not care whether the sectoring is hard or soft, since the Apple drive does not even have a sector-hole sensor! So you can use absolutely

any 5 1/4" diskette, and need only discriminate on cost. This latter point is important to all of us, and the only comment that need be made is that the very cheapest diskettes, when similar formats are compared, will not hold data reliably for as long as more costly ones. It is a matter for the user to decide, whether long-term reliability is worth paying for, Obviously, for business use, it is of paramount importance, and it is not worth saving a few permies if you then have to spend time (and money) to sort out problems resulting from data errors. There is an add-on for cheaper (thinner!) diskettes, called a reinforcing ring, which can be applied for durability to the big hole in the middle of the diskette. This also improves the grip of the diskette drive on the diskette, and can improve reliability that way. It is possible to buy diskettes with these rings already in place, too. For the hobbyist, the choice of diskette is determined much more by his pocketbook, and I should perhaps end by reminding everyone that BASUG offers very good value in diskettes to members - you can possibly buy cheaper elsewhere, but the quality you will have to prove for yourselves!

* (Why Is There So Much In Life To Confuse Humans?)





kay-jay studios

135 COLES GREEN ROAD LONDON NW2 7HN

TEL: 01 450 6993



LY APPLY
BY KAGA
BY THE PLOUSAND
BY BOWLAY HE LTD
LY PASE
LY AUDIO THDIA
BY HPSON & OUNE
BY HANY
BY FISTAKE
BY ACCESS/BARGLAYCAED

DA REW TOHER & PIU CHAN

APPLESOFT "INPUT ANYTHING" ROUTINE UPDATED

By Ian Trackman

Since my article in Volume 1, Number 1 of Hardcore, I have been finding ways of improving the original machine code sub-routine, which allows commas, colons, semi-colons and quotation marks to be entered in response to Applesoft Basic's INPUT command, I am grateful to Peter Meyer of California (the author of "Agenda Files" in the Apple Special Delivery Catalog) for a number of helpful comments and suggestions.

One point that I did not mention explicitly in my first article (and which still applies to the revised sub-routine) is that if your string INPUT now accepts commas as part of the input string itself, you cannot use a comma as a multiple entry delimiter, i.e. INPUT A\$, B\$ will not work.

Four improvements have now been made to the original sub-routine :-

- a) the sub-routine will recognise Control C as a Break command
- b) a check is made that the variable name is a valid string variable
- c) the variable name is assigned directly by the sub-routine, rather than needing a MID\$ conversion
- d) it is not necessary to assign a dummy first string variable.

The revised sub-routine uses eight calls to Applesoft Basic's internal routines and so cannot be used (without conversion) with Applesoft in Ram at \$800.

The sub-routine (which is re-locatable) takes up 70 bytes and can conveniently be POKE'd into memory from Basic at locations 768 to 837 (\$300 to \$345) as follows:

10 FOR I = 768 TO 837

20 READ X

30 POKE I, X

40 NEXT

50 DATA 169, 58, 32, 192, 222, 169, 132, 32, 192, 222, 32, 227, 223, 36, 17, 16, 43, 162, 0, 32, 117, 253, 173, 0, 2, 201, 131, 240, 36, 138, 72, 32, 57, 213, 104, 72, 32, 82, 228, 162, 0, 160, 2, 32, 226, 229, 160, 2, 185, 110, 0, 145, 131, 136, 208, 248, 104, 145, 131, 96, 162, 163, 76, 18, 212, 41, 127, 76, 99, 216

The syntax of the sub-routine is :-

CALL nnn : INPUT xx\$

where nnn is the address at which you have stored the start of the sub-routine (usually 768). As a matter of good programming style, nnn could also be a variable name e.g. INPT with the value of that address. CALL nnn must be followed by a colon and the "INPUT" command. However, both the colon and the INPUT command are dummies used to make your program more readable and can be changed, or even removed, by suitable amendments to the first ten bytes of the machine-code of the sub-routine. Finally, xx is the name of the simple or array (e.g. IN\$(4)) string variable where the response to the INPUT is to be stored.

Here is the annotated assembly language source code of the sub-routine :-

```
SOURCE FILE: STRING INPUT 2
                                                                 2 1
0000:
                                                                 3 *STRING "INPUT ANYTHING" ROUTINE
0008:
8000:
                                                                 5 XVERSION 2
10000
0000:
                                                                 7 *COPYRIGHT (C) 1981 IAN TRACKMAN
0000:
00001
                                                                 0000:
                                                              10 K
 0000:
                                                              11 XINPUTS ONE BASIC STRING
 6099:
                                                               12 XACCEPTS COMMA, COLON, SENT-COLON & GUOTES
 0080:
                                                               13 XHITHOUT "EXTRA IGNORED" ERROR
 0000:
 0800:
                                                               15 EXPRESSIONAL PROPERTY OF THE PROPERTY OF TH
 8000:
                                                               16 H
  0000:
                                                                                                                                                                    FLAG TO INDICATE NUMBER OR STRING VARIABLE
                                                               17 VALTYP EQU $11
  0011:
                                                                                                                                                                     BOTTOM OF STRING STORAGE
                                                               18 FRETOP EQU $6F
  806F:
                                                                                                                                                                    JUSED BY PTRGET TO POINT TO VARIABLE'S ADDRESS
                                                               19 VARPNT EQU $83
  0083:
                                                               20 X
   0000:
                                                                                                                                                                   START OF KEYBOARD IMPUT BUFFER
                                                               21 LINBUF EQU $200
  0200:
```

```
EQU $D412
                              22 ERROR
D4121
                              23 GOBUFS EQU $0539
05391
                                                  EQU $0863
D8631
                              24 BREAK
                              25 SYNCHR EQU $DECO
DECO:
                              26 PTRGET EQU $DFE3
DFE3:
                              27 GETSPA EQU $E452
E452:
E5E2:
                              28 MOUSTR EQU $E5E2
                              29 NXTCHAR EQU $FD75
FD75:
                              30 x

    NEXT OBJECT FILE NAME IS STRING INPUT 2.0BJ0

0300:
                              31
                                                   ORG $300
                              32 x
03001
                              33 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
0300:
                              34 X
0300:
                                                                                CHECK FOR ":"
                                                   LDA #$3A
0300:A9 3A
                              35
                                                                                COMPARES NEXT BYTE WITH ACCUMULATOR, ERROR IF MISMATCH
0302:20 CO DE
                              36
                                                   JSR SYNCHR
0305:A9 84
                              37
                                                   LDA #$84
                                                                                CHECK FOR "INPUT"
                                                   JSR SYNCHR
0307:20 CO DE
                              38
                                                                                GET ADDRESS OF NEXT NAMED VARIABLE
                                                   JSR PTRGET
030A:20 E3 DF
                               39
030D:24 11
                              40
                                                   BIT VALTYP
                                                                                IS IT A STRING VARIABLE ?
030F:10 2B
                               41
                                                   BPL EXIT1
                                                                                :ERROR IF NOT
                               42 ;
63111
                                                                                (READY FOR NXTCHAR (X IS THE OFFSET FROM $200)
                                                   LDX #0
0311:A2 00
                               43
                                                   JSR NXTCHAR
                                                                                :INPUT A STRING INTO KEYBOARD BUFFER
0313:20 75 FD 44
0316:AD 00 02
                               45
                                                   LDA LINBUF
                                                                                :FIRST CHARACTER
                                                   CMP #$83
                               46
                                                                                IS IT CONTROL C ?
0319:C9 83
031B:F0 24
                               47
                                                   BEQ EXIT2
                                                                                BREAK IF IT IS
031D:
                               48 ;
                                                                                  ISAVE LENGTH OF INPUT STRING (IN X) ON STACK
                               49
                                                   TXA
031D:8A
                               50
                                                   PHA
031E:48
031F:20 39 D5
                                                   JSR
                                                            COBUFS
                                                                                CLEAR HIGH BITS OF CHARACTERS
                                                   PLA
                                                                                RECOVER LENGTH
 0322:68
                               53
                                                   PHA
                                                                                : & SAVE IT AGAIN
 0323:48
                                                                                GET SPACE IN STRING STORAGE AREA
 0324:20 52 E4
                                                    JSR GETSPA
                              54
 0327:A2 02
                               55
                                                   LDX #<LINBUF
                                                                                : ADDRESS LO
 0329:A0 00
                               56
                                                   LDY #XLINBUF : ADDRESS HI
 032B: 20 E2 E5
                                                    JSR MOVSTR
                                                                                ; AND MOVE THE STRING THERE
                               58
                                                   LDY #2
                                                                                ; LOOP COUNTER
032E:A0 02
0330:B9 6E 00
                              59 LOOP
                                                   LDA FRETOP-1,Y ;-1 FOR Y OFFSET
0333191 83
                               60
                                                   STA (VARPNT), Y ; STORE LOW & HIGH ADDRESS POINTERS
0335:88
                               61
                                                   DEY
0336:D0 FB
                              62
                                                   BNE LOOP
                                                                                ;BOTH STORED ?
0338:
                              63 ;
0338:68
                               64
                                                   PLA
                                                                                RECOVER LENGTH
0339:91 83
                               65
                                                   STA (VARPNIT), Y ; & STORE IT
                                                                                ;BACK TO BASIC
0338:60
                               66
                                                   RTS
033C:
                               67 ;
                                                   LDX #$A3
033C:A2 A3
                               68 EXIT1
                                                                                ;"HISHATCH ERROR"
033E: 4C 12 04
                              69
                                                    MP
                                                            ERROR
                                                                                ;BASIC'S ERROR HANDLER
0341:
                               70 :
0341:29 7F
                               71 EXIT2
                                                   AND $$7F
                                                                                :CLEAR HIGH BIT
0343;4C 63 D8
                           72
                                                            BREAK
                                                                                :BASIC'S BREAK HANDLER
0346:
                               73 X
0346:
                              74 EXPLICATION AND ADDRESS OF THE PARTY OF T
                     11 VALTYP
                                                          6F FRETOP
                                                                                                83 VARPNT
                                                                                                                                   0200 LINBUF
                 0330 LOOP
                                                       833C EXIT1
                                                                                             0341 EXIT2
                                                                                                                                   D412 ERROR
                 0539 GOBUFS
                                                       DB63 BREAK
                                                                                            DECO SYNCHR
                                                                                                                                   DFE3 PTRGET
                 E452 GETSPA
                                                       ESE2 HOUSTR
                                                                                            FD75 NXTCHAR
                 DB63 BREAK
                                                      D412 ERROR
                                                                                            033C EXTT1
                                                                                                                                   0341 EXIT2
                    6F FRETOP
                                                      D539 GDBUFS
                                                                                            E452 GETSPA
                                                                                                                                  0200 LINBUF
                 8338 LOOP
                                                      ESEZ HOVSTR
                                                                                            FD75 MXTCHAR
                                                                                                                                  OFE3 PTRGET
                DECO SYNCHR
                                                         11 VALTYP
                                                                                                83 VARPNT
```

A SPECIAL OFFER TO HARDCORE READERS!



'SUPER HELPFUL' APPLE PROGRAMMING UTILITIES

Aids 30

A set of useful extensions to the usual DOS and Applesoft commands, these include RENUMBER, AUTO, APPEND, and MERGE. DUMP (to give the value of all simple variables), HELP (to identify location of error), RECOVER and others. A very useful aid in writing and debugging Applesoft programs.

DOS 3.2 or 3.3 VERSIONS (Please Specify)

£40

Convert 11

Converts Integer Basic programs to Applesoft, even if you don't have Integer onboard. (Warning-will not accommodate enbedded machine code). Convert-II will either provide a 're-type' under Applesoft or attempt true conversion indicating problem areas.

DOS 3.2 VERSION

£40

Disc 1X

Allows you to carry out operations normally difficult or impossible under DOS, for example renaming the greeting programs, sorting catalogue into alphabetical order, recovering deleted files if possible, finding embedded control characters in file names and inspecting individual track sectors.

DOS 3.2 or 3.3 VERSIONS (Please Specify)

£40

Edit 3

A line based editor for Applesoft basic. An individual tool for all Applesoft programmers. Features include FIND, INSERT, CHANGE, and DELETE, pausable listing and other facilities. Edit-3 is a machine code program similar in operation to many maintrame editors.

DOS 3.2 or 3.3 VERSIONS (Please Specify)

€40

Password 69

A simple but effective way to protect disks from unauthorised users.

DOS 3.2 or 3.3 VERSIONS (Please Specify)

€40

String 16

Adds seventeen string functions to those available under Applesoft. Includes fast string array sort (1000 strings in less than 10 seconds), matching and replacement functions and several general string manipulation functions.

DOS 3.2 or 3.3 CONVERSIONS (Please Specify)

€40

Symbol 77

Allows you to plot text and other symbols, including user defined ones on the high resolution screens. Also scrolling, partial clearing, inverted and rotated symbols. Machine code program may be relocated, complete with example program and easy to use symbol generators software.

DOS 3.2 or 3.3 VERSIONS (Please Specify)

£40

Boot II

This program allows you to update a standard DOS 3.2 disk to boot up either 13 or 16 sector disk drives, leaving you in the normal DOS 3.2 environment.

Also contains a utility program. Boot-16, which enables you to boot a DOS 3.3 disk on a 13 sector controller.

S-C Assembler

This disk based assemble reditor enables you to create machine code programs using standard 6502 Op-Codes, as well as the Sweet-16 psuedo machine codes designed by Steve Wozniak. True macros may be assemblied from disk. Assembly may be made directly to disk enabling large programs to be written to reside anywhere in memory.

255

Double Precision Arithmatic

21 Digit precision for Applesoft (Written in machine code by the authors of the S-C Assembler)

DOS 3.2 or 3.3 CONVERSIONS (Please Specify)

£55

Memory Manager

Memory Manager allows you to relocate your disk operating system on a 16K RAM card. This frees the memory for your Applesoft programs and its variables. It allows you to run standard Applesoft programs that do not use the CHAIN function.

DOS 3.3 VERSION

£30



194-200 Bishopsgate London EC2M 4NR Tel. 01 626 8121

| To: Personal Computers Limited, | 194-200 Bishopsgate, | London EC2. |
|---------------------------------|----------------------|-------------|
| | | |

| Please send me | l enclose a cheque for Σ |
|----------------------|--------------------------|
| Name | Position |
| COMPANY NAME ADDRESS | |

S.B.D. SOFTWARE 15, Jocelyn Road, Richmond TW9 2TJ. Tel: 01-948 0461. Telex: 22861

PURCHASE YOUR COMPLETE APPLE II COMPUTER SYSTEM FOR THE LOWEST PRICE IN THE U.K.

APPLE II EURO PLUS 48K
DISK DRIVE WITH CONTROLLER
DISK DRIVE WITHOUT CONTROLLER
HITACHI 10" MONITOR
EPSON MX-80FT PRINTER + INTERFACE
MAGIC WINDOW WORD PROCESS OR
BASIC MAILER
VISICALC 3.3
DAN PAYMAR LOWER CASE ADAPTOR
BOX OF DISK ETTES

BOX OF DISKETTES

ALL ITEMS GUARANTEED 1 YEAR ALL MANUALS INCLUDED LIMITED QUANTITIES AVAILABLE: 12 RRY

ALL FOR ONLY £1,975.00 CREDIT CARD SALES ADD 3%

BUSINESS SOFTWARE

MAGIC WINDOW, BASIC MAILER, DAN PAYMAR - All 3 for MAGIC WINDOW, BASIC MAILER, DAN PAYMAR – All 3 for £145.00.

MAGIC WINDOW will instantly convert your Apple system into a word-processor, no modification or fancy gadgets to buy. Magic Window's 4-way scrolling allows you to type up to 80 CHARACTERS per line, will show you exactly how your letter will be printed. Inserting, deleting, centering, you can see it all on the screen.

£79.95

BASIC MAILER is a mailing list merge system design to take MAGIC WINDOW documents, files and replace names, addresses or any other sections of the document with individual data, creating customised letters, invoices, etc.

£49.95 £49.95 DAN PAYMAR lower case adaptor.
VISICALG 3.3 THE UPGRADED VERSION £39.95 £99.00 £99.00 VISIDEX A most useful cross-reference of information. VISIPLOT Plot your data onto high-res. graphs £75.00 BRAIN SURGEON Thoroughly test your Apple II. £30 00 D.B. MASTER Computed fields, Statistical Analysis £130.00

UTILITIES

EXPEDITER II At last you can compile your Applesoft programs into machine code and watch it run 2-20 times faster. £75.00 CRAS Co-Resident Applesoft Editor. Anyone writing software on the apple £19.95

£29.95 SUPER DISK COPY III The most versatile copy program on the market. Initialize a diskette with or without DOS sectors. Copy files one by one or the entire disk. View the catalog and then see a display of the diskettes free and used sectors. Copy DOS 3.2 to 3.3 and visa-versa, many other

commands APPLEGUARD Protect against bit copiers, protect your software. £200.00
AOPT - APPLESOFT OPTIMIZER, remove REM's. Pack as many instructions as possible per line £19.95

APLUS – STRUCTURED BASIC. Write programs in a structured manner with your new additional commands and then compile into a regular APPLESOFT program.

19.95

19.95

19.95

19.95

19.95

19.95

19.95

19.95

19.95

19.95

commands and initialize disks with your own DOS. DISK RECOVERY Scan your disks and mark faulty tracks so they are not used. Also able to REDO VTOC which may re-cover your messed-up f24.94

£50.00

BACK-IT-UP Bit copier to back-up your protected software.

ARCADE GAMES

| Space Warrior | £12.95 | Star Mines | £14.95 |
|---------------|--------|-----------------|--------|
| Alien Rain | £12.95 | Apple Panic | £14.95 |
| Snoggle | £12.95 | Sneakers | £17.95 |
| Demon Derby | £12.95 | Raster Blaster | £17.95 |
| Galaxy Wars | £12.95 | Star Thief | £17.95 |
| Gobbler | £12.95 | Space Quarkes | £17.95 |
| Star Cruiser | £12.95 | Missile Defence | £17.35 |
| Alien Typhoon | £13.95 | Pegasus II | £17.95 |
| Space Eggs | £14.95 | Threshold | £19.95 |
| Autobahn | £14.95 | Epoch | £19.95 |
| | | | |

ADVENTURE GAMES

| | The Continued | |
|------------|--|---|
| £9.95 | Ulysses & the golden flo | eece £17.95 |
| £12.95 | Oldorf's Revenge | £11.95 |
| ess £17.95 | Tarturian | £14.95 |
| £17.95 | Creature Venture | £14.95 |
| £17.95 | Wizardry | £29.45 |
| | £9.95 £12.95 ess£17.95 £17.95 | £12.95 Oldorf's Revenge ess£17.95 Tarturian £17.95 Creature Venture |

CARD & SPORT GAMES

| Pool 1.5 | £18.95 |
|---------------|--------|
| Hi-Res Soccer | £22.95 |
| | |

STRATEGY GAMES

| Galactic Empire | £12.95 | Tawala's Last Redoubt | £14.95 |
|---------------------|--------|-----------------------|--------|
| Galactic Trader | £12.95 | Golden Mountain | £9.95 |
| Galactic Revolution | £12.95 | Kubic | £9.95 |
| | | | |

Add 15% VAT. Postage and Packing Free. Dealer enquiries welcome. Write or phone for full catalogue of available software.



Superb mechanical and hardware features make this the most versatile and accurate analogue controller available.

FEATURES INCLUDE:

A tracking hemisphere moves about 3 axis enabling interactive program control not previously possible.

Built in electronic interfacing reads potentiometers via potential divider circuitry offering 10 times better linearity than ordinary variable resistors.

6 integrated trimmers allow all axis to be trimmed to optimum resolution with no dead boundary areas.

Unique direct drive linkage with built in counterbalancing eliminates all control slack and enables fast positive

State of the art low-torque plastic track potentiometers provide noise free operation over 5 times the life of ordinary potentiometers.

Ergonomic case design with convenience features such as rubber 'eyelid' bumper, comfortable palm mat, nonslip feet, positional scaling and extra long lead.

Software support program including full feature C.A.D. package available Mid-January.

To encourage the development of BiT STiK interactive software just 30 of these units are available to BASUG members at only £69.50 + VAT + P. & P. (Total £82.50).

Software competition details are included. Cash refund if not delighted and returned within 10 days. Make cheques or P.Os. payable to:

ROBOCOM LIMITED

CIL BUILDING **GOODWIN STREET** LONDON N4 3HQ 01-263 3388

BIT STIK is designed and made in England by ROBOCOM LTD., offer applies to first 30 orders received. Telephone to confirm availability before ordering.

Verbatim.



MINID:SKS

Verbatim, the world's leading producer of minidisks, makes the widest range of minidisks available for word processing and data processing applications. Intent on maintaining this position of leadership, we constantly strive to make our minidisks even better.

Each Verbatim minidisk is equipped with a hub reinforcing ring to aid in registration, reduce errors and give better alignment repeatability.

Try new Verbatim disks for the performance of a lifetime.

| | the teachers are provide pour | |
|---------------|-------------------------------|-----------------|
| 10 x | MINIDISKETTES £19. | 50 INCLUSIVE OF |
| | r. AND POST. | Attitude to a |
| | CLOSE A CHEQUE MADE P | |
| RA | S.U.G. CHEQUE NO | PLEASE |
| | | |
| FORW. | ARD TO ME BY RETURN A | |
| | ARD TO ME BY RETURN A | |
| FORW. | ARD TO ME BY RETURN A ESS. | |
| FORW. ADDR | ARD TO ME BY RETURN A | |
| FORW. ADDR | ARD TO ME BY RETURN A | |

THE DOS COMMAND SYNTAX TABLE

By Cliff Wootton

Have you ever wondered how DOS knows whether a particular command is allowed to be executed in immediate mode, or what parameters are required with the various commands. Well - hidden away in the middle of the DOS is a table which has an entry for each command in the DOS which defines just that. This table was modified from DOS 3.1 to DOS 3.2 but has remained unchanged since then. That explains why certain of the text file commands can no longer be executed from the keyboard.

Figure 1 shows a hex dump of this area of the object code for the DOS.

| A909: | 21 | 70 | AO | 70 | A1 | 70 | A0 | 70 | |
|-------|----|----|----|----|----|----|----|----|--|
| A911: | 20 | 70 | 20 | 70 | 20 | 70 | 20 | 70 | |
| A919: | 60 | 00 | 22 | 06 | 20 | 74 | 22 | 06 | |
| A921: | 22 | 04 | 23 | 78 | 32 | 70 | 30 | 70 | |
| A929: | 40 | 70 | 40 | 80 | 40 | 80 | 08 | 00 | |
| A931: | 08 | 00 | 04 | 00 | 40 | 70 | 40 | 00 | |
| A939: | 21 | 79 | 20 | 71 | 20 | 71 | 20 | 70 | |

Figure 1 A hex dump of the command syntax table

This table can be reformatted into pairs of bytes each corresponding to a particular command. They are listed in this fashion in Figure 2.

| INIT | ; | 21 | 70 |
|----------|---|----|-----|
| LOAD | : | AO | 70 |
| SAVE | : | A1 | 70 |
| RUN | : | A0 | 70 |
| CHAIN | : | 20 | 70 |
| DELETE | : | 20 | 70 |
| LOCK | ; | 20 | 70 |
| UNLOCK | : | 20 | 70 |
| CLOSE | : | 60 | 00 |
| READ | : | 22 | 0.6 |
| EXEC | : | 20 | 74 |
| HRITE | 1 | 22 | 06 |
| POSITION | : | 22 | 04 |
| OPEN | : | 23 | 78 |
| APPEND | 1 | 22 | 70 |
| RENAME | : | 30 | 70 |
| CATALOG | : | 40 | 70 |
| HON | : | 40 | 80 |
| NOMON | : | 40 | 80 |
| PR # | : | 08 | 00 |
| IN # | 1 | 08 | 00 |
| MAXFILES | : | 04 | 00 |
| FP | : | 40 | 70 |
| INT | : | 40 | 00 |
| BSAVE | : | 21 | 79 |
| BLOAD | ; | 20 | 71 |
| BRUN | : | 20 | 71 |
| VERIFY | : | 20 | 70 |

Figure 2 Syntax table disassembled by command

A pattern is beginning to emerge here showing particular values cropping up more often than others. The pattern is not wholly clear from the format of Figure 2 so Figure 3 is replotted using a binary notation. Each digit is numbered at the top of the columns.

| COHMAND | BASE ADDR | 11 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
|----------|-----------|----|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|
| INIT | A909 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| LOAD | A90B | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| SAVE | A90D | li | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| RUN | A90F | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| CHAIN | A911 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| DELETE | A913 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| LOCK | A915 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| UNLOCK | A917 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| CLOSE | A919 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| READ | A91B | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| EXEC | A910 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 |
| WRITE | A91F | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| POSITION | A921 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| OPEN | A923 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 0 |
| APPEND | A925 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| RENAME | A927 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| CATALOG | A929 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| MOM | A92B | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOMON | A92D | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PR # | A92F | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| IN # | A931 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAXFILES | A933 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FP | A935 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| INT | A937 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BSAVE | A939 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 1 |
| BLOAD | A938 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 1 |
| BRUN | A930 | 10 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 1 |
| VERIFY | A93F | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 11 | 1 | 0 | 0 | 0 | 10 |

Figure 3 Binary disassembly of the command table

Now we are getting somewhere; let's see what commands have a "1" entered beside them in the various columns.

Column 1

The only commands that have a 1 in this column are LOAD, SAVE and RUN. What have they got in common? They are all basic commands that will have parameters associated with them when used by DOS but will have no parameters entered when used by BASIC. If the operand is omitted they will be passed to BASIC.

Column 2

This column has a 1 entered for the following commands:

CLOSE CATALOG MON NOMON FP

INT

All of these are "DOS only" commands that are allowed to be used with no associated parameters.

Column 3

This column has a 1 entered for the following commands:

CHAIN CI OSE POSITON **BSAVE** TINIT PLOAD LOAD DELETE READ OPEN APPEND BRUN EXEC SAVE LOCK VERIFY RENAME RUN UNLOCK WRITE

The only ones excluded are those that do not require any file names to be attached.

Column 4

This is only entered against RENAME which is the only time that filename 2 is required.

Column 5

This column is only entered for PR # and IN #. The only paramete associated with them is a numeric between 0 and 7.

Column 6

Column 6 is only set for the MAXFILES command. Like PR # and IN #, MAXFILES require a numeric argument but the range is different. In this case it is allowed to be between 1 and 16.

Column 7

Column 7 is set for the following commands:

READ WRITE POSITION OPEN APPEND

These commands relate to text files and are only allowed to be used in deferred mode. That is, while a program is running.

Column 8

Column 8 is set for the following commands:

INIT SAVE OPEN BSAVE

Column 9

This column is set for the following commans:

MON

These two commands are the only ones that make use of the optional C.I. and O parameters.

Column 10

Column 10 is used by the following commands:

| INIT | CHAIN | EXEC | CATALOG | BRUN |
|------|--------|--------|---------|--------|
| LOAD | DELETE | OPEN | FP | VERIFY |
| SAVE | LOCK | APPEND | BSAVE | |
| RUN | UNLOCK | RENAME | BLOAD | |

These can all make use of the optional volume number specification. I think this might have been allowed in the READ, WRITE and POSITION commands although it may have been left out to allow programs to transcend the boundaries between different physical devices.

Column 11

This is very similar to Column 10 in that it applies to the following commands:

| INIT | CHAIN | EXEC | CATALOG | BRUN |
|------|--------|--------|---------|--------|
| LOAD | DELETE | DPEN | FP | VERIFY |
| SAVE | LOCK | APPEND | BSAVE | |
| RUN | UNLOCK | RENAME | BLOAD | |

Obviously parameter 11 applies to something similar to the option volume specification; probably drive.

Column 12

This column is identical to 10 and 11 and therefore probably relates to the slot parameter.

Column 13

Column 13 is set for the following commands:

OPEN BSAVE

These both make use of the length specifier.

Column 14

This is set for the READ, EXEC and WRITE commands. It applies to the RECORD number that is to be accessed.

Column 15

This column is set for the following verbs:

READ WRITE POSITION

These are the only commands that might use the Byte specifier.

Column 16

This column is also set for the machine code commands BSAVE, BLOAD and BRUN. These are the only commands that use the Address Specifier.

After a little time spent experimenting I came up with the table shown in Figure 4

| Column Number | Function |
|---------------|-------------------------------|
| | |
| (1) | If no parameters go to BASIC |
| (2) | If no parameters go and Do it |
| (3) | File name 1 required |
| (4) | File name 2 required |
| (5) | Numeric value 0-7 required |
| (6) | Numeric value 1-16 required |
| (7) | Use in deferred mode only |
| (8) | Permission to create a file |
| (9) | Optional C.I.O. allowed |
| (10) | Optional V allowed |
| (11) | Optional D allowed |
| (12) | Optional S allowed |
| (13) | Optional L allowed |
| (14) | Optional R allowed |
| (15) | Optional B allowed |
| (16) | Optional A allowed |
| | |

Figure 4 Column Functions

What are the conclusions to be drawn from this command syntax table? Well, it would be fairly simple to modify the text commands, for instance, to allow an OPEN to be performed at the keyboard. Or we could disallow the immediate mode altogether. This would stop DOS being used if the user's program halted for any reason. We can disable the check for a volume slot, drive, or any other parameter just as easily, We could allow PR# to have a value between 1 and 16 instead of 0 and 7, not that it would be particularly useful. There are many ways to use this table to make a system pirate-proof. This is a problem I have tried to solve for a long time and have decided that there is no absolute cure. It is like making your house burglar-proof. The best you can do is make the thief take as long as possible to crack the problem. This may perhaps discourage him. Thief-proofing software can never be 100% successful since you must provide a way to start the program yourself. That being the case, there is a way in, even if the thief has to single step his way through. The only program that is truly thief-proof is the one that cannot be run at all!

54" DISCS

PERFECT FOR APPLE III AND APPLE III

1 box (10 discs) £16 per box 10+ boxes £15 per box 100+ boxes £14 per box

Post to: SYSTEMICS LTD., 21-23 The Bridge, Harrow, Middlesex HA3 5AG.

| | Harro | w, Middlesex H | A3 5A | G. | |
|-------|-----------|--------------------|-------|------|-------|
| Order | form | Please send me | e! | | |
| Onty. | Phone or | ders: 01-863 0079 | Price | VAT | TOTAL |
| | Boxes of | 10 51 DISCS | | | |
| | add £1.0 | O Delivery | | - | £1.00 |
| | | VALUE | OF O | RDER | £ |
| NAM | E | | | | |
| ADD | RESS | | | | |
| | - N | | | | |
| Signe | d | Pho | one | | |
| My A | ccess/Bar | claycard number is | s: | | |
| 5 | | | | w | VISA |

pascal pages

THERE'S A LIST OF WHAT THE PASCAL LIBRARIES CONTAIN CURRENTLY: DISK/PROGRAM SECTORS DATE FILE TYPE DESCRIPTION FROM ITT: INCLUDES THEIR TURTLEGRAPHICS PAL1: FOR THE ITT2020 ((NO BARS!) SYSTEM. APPLE 32 26-Jul-79 6 Data 36 4-May-79 38 Data SYSTEM. PASCAL 1 4-May-79 74 Data SYSTEM. MISCINFO 75 Code SYSTEM. EDITOR 45 29-Jan-79 28 24-May-79 120 Code SYSTEM.FILER SYSTEM. CHARSET 2 14-Jun-79 148 Data 14 18-Apr-79 150 Text SYSTEM. SYNTAX 7 3-Apr-80 164 Code PAL.DEMO.CODE 7 15-Feb-80 171 Data BUTTERFLY. DATA SYSTEM.LIBRARY 53 18-Jul-81 181 Data FROM I.A.C.: EXPLAINS APPLE BIOS. ATTACH: AS DESCRIBED IN HARDCORE MAY '81 24 4-Feb-81 161 Text DOC. 6. TEXT 24 4-Feb-81 185 Text DOC. 7. TEXT 28 4-Feb-81 209 Text DOC. 8. TEXT 2 2-Mar-81 237 Code ADMERG, CODE 6 2-Mar-81 239 Text ADMERG. TEXT 14 14-Aug-80 245 Text LIST. TEXT 4 14-Aug-80 259 Code LIST. CODE 12 3-Mar-81 263 Text FORTFIX.TEXT FORTFIX. CODE 4 7-Jan-81 275 Code 11/11 files, 171 unused, 171 in largest I BELIEVE THE FOLLOWING 5 DISKS HAVE BEEN CONTRIBUTED BY THE UCSD PASCAL USERS GROUP IN THE STATES. WOULD THE REAL CONTRIBUTER PLEASE TAKE A BOW! FILE TYPE DESCRIPTION DISK/PROGRAM SECTORS DATE PSCAL01: 6 Code 4 9-Dec-80 TITLE.CODE 10 Text INTRO TO UCSD PASCAL USERS GROUP 26 15-Feb-80 INTRO. TEXT 36 Text 18 30-Mar-80 POLICY. TEXT 54 Text KNOWN BUSS, FROM I.A.C. MARCH'80 18 9-Aug-80 BUGS. TEXT 72 Text ALL YOU NEED TO KNOW ABOUT DOS3.2 42 28-Jan-80 DOS3. 2A. TEXT 42 28-Jan-80 114 Text BUT WERE AFRAID TO ASK. FROM "ILLINOIS DOS3.2B. TEXT 14 14-Jul-80 156 Text MICRO. ABBS" & APPLE ORCHARD DOS3.2C.TEXT 8 9-Oct-79 170 Text COMBINES 2-4 TEXT FILES COMBINES. TEXT 4 5-Apr-80 178 Code COMBINES, CODE 22 22-Nov-80 182 Text GAME: USES TEXT SCREEN CHASE. TEXT 204 Code 10 22-Nov-80 CHASE. CODE 12 4-Feb-80 214 Text LISTS TEXT WITH HEADINGS ETC. LIST. TEXT 226 Code LIST. CODE 5 5-Apr-80 6 7-May-80 231 Text TO ILLUSTRATE BUILT IN PROCS - FROM INTRINSIC. TEXT PAGE 84 "PROBLEM SOLVING USING PASCAL"

237 Text DOCUMENTATION ABOUT UNITS

261 Code DIFFERENT FONT'S I THINK (?).

12 29-Nov-78 249 Text ??ANY CLUES?: COPIES FILES USING

12 1-Apr-80 266 Text A SPEC FOR "A UNIVERSAL I/D UNIT"

12 12-Mar-80

5 5-Apr-80

2

18/18 files, 2 unused, 2 in largest

UNITS. DOC. TEXT

TYPESET.TEXT

TYPESET. CODE

(UNUSED)

UNIVERSAL. TEXT

PSCAL 02: & Text 12 5-Jul-80 PILOT. TEXT 18 Code 8 5-Jul-80 PILOT. CODE 16 5-Jul-80 26 Text PILOT. DOC. TEXT PRETTY. CODE 11 5-Apr-80 42 Code 36 2-Oct-79 53 Text PRETTY. TEXT PRETTY.DOC.TEXT 10 14-Feb-80 89 Text 99 Text 28 16-Nov-79 FORMAT2.TEXT 20 27-Nov-80 127 Text BLACKJACK, TEXT 8 27-Nov-80 147 Code BLACK JACK, CODE 20 16-Nov-79 155 Text FORMAT. TEXT 30 18-Feb-80 175 Text FORMAT. DOC. TEXT 20 5-Apr-80 205 Code FORMAT. CODE 34 13-Nov-79 225 Text FORMATI.TEXT 6 5-May-80 259 Text FLOWER. TEXT 6 6-May-80 265 Text STARS, TEXT 4 6-May-80 271 Text SQUARES. TEXT 5 275 (UNUSED > 16/16 files, 5 unused, 5 in largest

PSCAL03: 6 9-Oct-80 6 Text DRAWLINE. TEXT 2 9-Oct-80 12 Code DRAWLINE.CODE 14 Text 24 B-Aug-80 MOTGEN. TEXT 38 Code MOTGEN. CODE 8 1-Aug-80 46 Text 16 4-Aug-80 MUD. GUIDE. TEXT 62 Text 10 4-Aug-80 MUD. PROC. TEXT 72 Code 3 .4-Aug-80 MUD. PROC. CODE 8 14-Aug-80 75 Text MORE. MUD. TEXT 83 Text 34 4-Sep-80 MUD. TEXT 15 4-Sep-80 117 Code MUD. CODE 132 Code 2 11-Dec-79 SIEVE.CODE 4 9-Bct-80 161 Text SIEVE. TEXT 6 22-Jun-80 134 Text FILEID. TEXT 140 Code 3 22-Jun-80 FILEIO.CODE 4 3-Nov-79 143 Text LCM. TEXT 2 3-Nov-79 147 Code LCM.CODE 2 7-Sep-79 149 Code GCD2.CODE 6 7-Sep-79 151 Text GCD2.TEXT 4 9-Oct-80 157 Text README. TEXT 6 10-Hay-80 165 Text RN" . SORT . TEXT 4 11-May-80 171 Text RANDOHPLOT. TEXT 6 14-Dec-80 175 Text PRINT. OUT. TEXT 6 27-May-80 181 Text SHELL. SORT. TEXT 8 29-May-80 187 Text FIGURE. TEXT 195 Text 12 30-May-80 COLDR. BAR. TEXT 207 Text 4 4-Jun-80 POLOR, EX. TEXT 5 25-Jun-80 211 Text REALSTR.PC. TEXT 12 25-Jun-80 POLORGRAPH. TEXT 12 26-Jun-80 POLORLOOP, TEXT 241 Text 14 3-Jul-80 EPICYCLOID. TEXT HYPO. THREE. TEXT 14 3-Jul-80 255 Text 8 4-Jul-80 269 Text CYL. TEXT 3 277 (UNUSED) 32/32 files, 3 unused, 3 in largest

EDITED BY WARREN AVERY

PILOT INTERPRETER FROM "BYTE".

(- IT'S DOCUMENTATION FORMATS PASCAL PROGRAM TEXT FILES.

(- IT'S DOCUMENTATION (PART OF FORMATTER) TEXT VERSION OF THIS SAME

(MORE FORMATTING)

FROM "PROBLEM SOLVING IN PASCAL"
DITTO (ALL USE TURTLEGRAPHICS)
DITTO

FROM "PRINCIPLES OF INTERACTIVE
COMPUTER GRAPHICS": INC.: TURTLEGRAPHICS
"APPLE PASCAL MEMORY UTILITY DELIGHT"
-ALLOWS USER TO EASILY ACCESS AND
-DIRECTLY MANIPULATE MEMORY UNDER THE
--PASCAL OPERATING SYSTEM.

-OUTPUTS PRIME NUMBERS

-AN ATTEMPT TO CREATE A NAME FILE, I THINK: IT CRASHES EASILY!. CALCULATES LOWEST COMMON MULTIPLE

CALCULATES GREATEST COMMON DENOMINATOR

DESCRIBES PART OF THIS DISK
SORTS & PLOTS A SEQ OF RANDOM NO'S
SAME MITHOUT THE BUBBLE SORT
ATTEMPTS TO SORT & PRINT RANDOM NO'S
SORTS & DISPLAYS RANDOM NUMBERS
DRAWS N SIDED POLYGON, LINKING POINTS
DRAWS HORIZ. & VERT COLOUR BARS
POLAR GRAPHICS
DITTO (THESE FEW ARE QUITE GOOD IF
(YOUR INTERESTED IN SUCH THINGS!)

PSCAL04: & Text CHANGES BYTES: CALL APPLE JAN'81 PASCALZAP. TEXT 10 1-Mar-81 6 1-Mar-81 54 Code PASCALZAP. CODE 24 26-Dec-80 16 Text PACKET NETWORK SIMULATION PRINTNET. TEXT 8 26-Dec-80 64 Code PRINTNET.CODE 10 15-Feb-81 40 Text KINETIC ART: BYTE NOV '80 KINETICART. TEXT 50 Code 4 15-Feb-81 KINETICART.CODE TIGERPROC.TEXT 4 8-Nov-80 60 Text 1 THINK..TURTLEGRAPHICS ON PAPER TIGER 16 20-Dec-80 72 Text CALCULATES SAIL AREA/DISPLACEMENT SAILCALC. TEXT 11 20-Dec-80 88 Code SAILCALC. CODE 6 20-Feb-81 99 Text FILE PRINT FOR CENTRONICS 737 (??) CENTRON737.TEXT CENTRON737.CODE 4 20-Feb-81 105 Code 171 109 (UNUSED > 11/11 files, 171 unused, 171 in largest

| PSCAL05: | tttARE THERE ANY GERMAN SPEAKERS OUT THERE? ttt |
|-----------------|--|
| INTKORR. TEXT | 6 17-Apr-80 6 Text "DIESES PROGRAM KORRIGIERT LIBRARIES |
| INTKORR.CODE | 3 17-Apr-80 12 Code "DER NAME DER BIBLIOTHEK IST |
| 49,016,012,120 | "VOLLSTAENDIG ANZUGEBEN" EH??MONITOR.DATA |
| MONITOR. TEXT | 6 29-Oct-80 23 Text "LAEST TEILLE DES MONITORS IN DIE |
| MONITOR, CODE | 3 29-Oct-80 29 Code "LANGUAGE CARD UND STARTEN DEN MONITOR |
| SORTDEMO. TEXT | 10 21-Sep-80 32 Text |
| LINEFEED. TEXT | 4 17-Oct-80 42 Text |
| CROSSREF.CODE | 3 8-Jan-80 46 Code |
| CROSSREF. TEXT | 8 8-Jan-80 49 Text ***I'M AFRAID I DON'T SPEAK DEUTSCHE |
| SORTDEMO.CODE | 4 2-Nov-80 57 Code ANY VOLUNTEERS TO DESCRIBE THIS DISK? |
| LINEFEED.CODE | 2 2-Nov-80 61 Code |
| SYSTEM. CHARSET | 2 14-Jun-79 63 Data |
| SYSTEM. SYNTAX | 16 11-Nov-80 65 Text |
| SYNTAX. TEXT | 4 12-Nov-80 81 Text |
| SYNTAX. CODE | 3 12-Nov-80 85 Code |
| PI.TEXT | 6 3-Feb-80 88 Text |
| HANDI.TEXT | 8 12-Nov-80 94 Text |
| HANOI.CODE | 3 12-Nov-80 102 Code |
| PI.CODE | 4 12-Nov-80 105 Code |
| GENSORT. TEXT | 10 20-Sep-80 109 Text |
| SORTDEMO2. TEXT | |
| SORTDEMO2.CODE | |
| STARTUP. TEXT | |
| GRUSS. TEXT | 8 12-Nov-80 133 Text |
| SYSTEM. STARTUP | 4 12-Nov-80 141 Code |
| (UNUSED > | 135 145 |
| 25/25 files, 1 | 35 unused, 135 in largest |

THE ABOVE DISKS BELONG TO THE "PASCAL SDL" (SOFTWARE DISTRIBUTION LIBRARY)
THIS MEANS THAT THEY'VE BEEN CONTRIBUTED TO BASUG FROM OTHER USER GROUPS
(OR IN THE CASE OF PALL:, FROM ITT).

PASCAL PAGE CONTINUED

NEXT ISSUE WE WILL BE ABLE TO INCLUDE AT LEAST ONE DISK FROM THE "PASCAL CSL"

THE PROGRAMS ON IT HAVE BEEN CONTRIBUTED BY OTHER BASUG MEMBERS.

WE WELCOME SPETMARE

WHEN CONTRIBUTING SOFTWARE PLEASE INCLUDE COMMENTS TO:

IDENTIFY YOU, THE CONTRIBUTOR

(CONTRIBUTED SOFTWARE LIBRARY)

THE SOURCE OF THE PROGRAM IF NOT ORIGINAL

A BRIEF DESCRIPTION (SUITABLE FOR THESE PAGES) OF WHAT IT DOES WE CURRENTLY PREFER TEXT & CODE FILES (IT'S A BURE COMPILING LOT'S OF PROG'S!) SEPERATE DOCUMENTATION FILES ARE ALSO WELCOME.

THE PASCAL LIBRARIES WILL OPERATE ON THE SAME CREDIT SYSTEM AS THE BASIC PROGRAM LIBRARIES EXCEPT THAT PASCAL CREDITS ARE NOT INTERCHANGEABLE WITH BASIC PROGRAM CREDIIS.

FOR FURTHER DETAILS ABOUT HOW THE LIBRARIES WORK READ HARDCORE AUGUST 1981 PASCAL TEXT HAS A VALUE OF 1 CREDIT

PASCAL CODE HAS A VALUE OF 1 CREDIT (YES THAT'S RIGHT: 2 CREDITS PER PROGRAM!)

OTHER HINTS FOR PASCAL PROGRAMS:

AVOID THE WORD "AQUA" IT'S AN ITT TURTLEGRAPHICS RESERVED WORD! ATTEMPT TO CHECK FOR KEYING ERRORS TO AVOID SYSTEM CRASHES TRY TO INCLUDE A "QUIT" PATH IN EVERY PROGRAM, RETURN TO TEXT IF NECCESSARY.


SPECIAL OFFERS

QUALITY 5.25" DISKS 10 for £15.49+VAT

EPSON MX80 FT

<< £349 + VAT >>

Post & Packing Free



AUTOCRAT COMPUTERS. 264 Preston Road, Harrow, Middx., HA3 OPY.

Tel: 01 908 3636

MICROSOURC

MICROSOURCE is a new concept, specialising in utilities for the APPLE & ITT 2020. New, because as users ourselves, we know what you need and so are in the unique position of being able to offer expert advice. We can shoroughly recommend the products below, either we use them ourselves, or have had them specially written to fit a need. We will gladly supplying a florid and aris wer your specific enquiries. RAMEX CAROS.

RAMEX CARDS
The only RAM Extension card for the APPLE which does not involve pulling chips out of the mother-board in combination with your System Master Disk, you can now have the equivalent of an Integer or Applieson ROM card, as well as being ready for PASCAL Compatible with Z80 card, Visicalc, The MILL 6809 card.

PROGRAM LINE EDITOR PROGRAM LINE EDITOH
Gives you the editing facilities APPLE left out You can
how inser! / defete / find / display normal and control
characters in lenes without having to copy the whole limi. No more spaces in strings or fickling with the cursor keys. With the added borus of defining your own commands through the ESC key. Cuts down your mistakes and saves you time.

OMNIFONT

A set of programs which allows you to use your EPSON ponter to produce hard copy using ANY of the fronts in the DOS 3 3 TOOLKIT Use the ones provided or define your own from BASIC or oven from APPLEWRITEH Use all the Tacilities of your EPSON (including enthance and underline) with APPLEWRITER OMNIDOS

OMNIDOS
C22
Accesses both 3 2 and 3 3 disks. Automatically Uses no extra memory. Solves all the problems of having to Multin and DeMultin files. Also includes utilities to pursonalise your disks, after DOS commands and protect your disks.

SCREEN WRITER
The program for the APPLE owner wishing to use the computer for advertising purposes. It allows you to set up a changing display on litre screen in various character sets and colours, in upper and lower case to advertise or inform. Compatible with Versawirter.

APPLEPLOT CONVERTER
Allows you to print the graphs on an EPSON ponter in as modes (Graphics faculties must be present on the SUPER-VADERS

A lotally new version of the ever popular game. ABC - Apple Bit Copier
This disk allows you to make back up copies of most disks including the copy protected ones.

VISICALC BACK-UP Allows you to make a back up copy of your Visicals disk Please specify 3 2/3 3 DOS

RELOCATED INTEGER:

Allows you to run any integer program without the axpense of a language card, including those using three graphics. Mini assembler included. Specify memory size and DOS 3.273.3.

AUTO-INDEX UTO-INDEX flows you to make a Master Catalog disk, with fully autumatic updating, and comprehensive search and sorting routines. Requires 48K and disk. Specify DOS 3 2/3 3

GAMES EXPANSION PORT Forget having to take the lid off every time you want to change patidles for other accessories. Bun two sets of patidles.

DISK DRIVE EXPANSION PORT

Do you remove your disk controller cards when you ransport your APPLE? Woukin't it be easier just to unplug them from this handy extension port without removing the lid

BENEATH APPLE DOS

This book is a goldrinne of information on how DOS
works, what it dows and where all the locations are for the various routines
DOS.SWITCH

614.85 DISK DRIVE EXPANSION PORT

DOS-SWITCH
Are you fed up of having to boot a 3.3 disk and use
BOOT13 or to use your BASICS disk to boot a 3.2 (13
sector disk) or had trouble with the games you bought in
3.2 DOS which will not boot The answer is to fit this
switch, which will allow you to boot a 3.2 DOS disk
directly, or switch back to a 3.3 DOS boot mode Fits
onto the disk cardicular said. Fitted as manuface. DOS-SWITCH onto the disk controller card. Fitted in minutes DEALERS please ask for terms.

All prices inclusive of VAT, Postage,

MICRO

1 Branch Street, Park Street, St. Albans Tel: Park Street (0727) 72917.

THE PERSONAL COMPUTER WORLD FAIR

by Tony Williams

All the omens for this Fair were bad; disaster struck the BASUG stand from all sides. Worst, the non-materialization of Hard Core No.4, announcing our participation in the Fair and containing a voucher giving members a fifty per cent entrance discount. Let us pull a discreet curtain down over this sad episode.

Special exhibitions organizer Eddie Payne made a special exhibition of himself, sitting in a broken down vehicle in St Albans containing all BASUG's Fair props. This on the eve of the opening. Meanwhile back at the Fair, Francis Teo and cohorts were not twiddling their thumbs waiting for Eddie but were getting on with the Get-In.

That for me was one of the lasting impressions of the Fair, the unbidden willingness of BASUG members materialising from all sides to pitch in and say Roll-Up, enrolling new members, answering questions they could answer, fending off or buck-passing ones they couldn't. (Eddie Payne says they were not unbidden, he bade, he bade). Special thanks to David Springle of Congleton who spent two valuable days of his London Experience on our stand.

Well, what of the Fair? "Much better than last year," said David Ahl, a name not unknown in creative computing circles but occupying a modest place behind his bookstall. Now recovered from his recent illness he looks an enviable twenty-one. "The attendance is much heavier than I have been seeing in the States, and a lot of excitement has been generated by the show. There are a lot of things here we simply have not seen yet back home, I mean new products, particularly the little DAI, which can do a lot, the graphics of course. And the BBC machine is attracting a lot of attention." Most of the Creative Computing stand was bought up by John Sharp and hauled off by the carton load. This was because he hasn't enough to read of an evening.

This reporter as the prospective half owner of a BBC beast would have loved to give the machine at least the once over at the Fair, but unfortunately that would have meant bulldozing aside serried ranks (three deep from 10 a.m. to 7, p.m.) of brawny sixfooters with shoulders like wardrobes all raptly ogling the Langham Place

brainchild. No matter, it would appear that the "BBC" machine was not quite what it claimed to be...

The Sinclair of last year had to take a back seat — well not quite. The ZX80/81 Users Club may have cast envious glances at the quality of our mag, but with their six—thousand membership and rising (BASUG stands at around 600 — and rising) they are obviously flourishing. Their stand was in danger of submerging. I didn't have time to ask, but it could have been distraught members asking how to unstick the ice—cream carton reputedly used as a Heat—Sync. One curiosity. Whatever became of Sharp — you know, the one with Katakana script. The handheld one popped up here and there,, but its big brother, so prominent at the North London Fair, took a raincheck.

So, for that matter did Apple. This is getting to be a bit embarrassing, BASUG exists, at least I thought it did, to help out Apple users with their little problems, not to sell Apples. And yet there we were in the front line, as Eddie Payne explained, telling prospective buyers "Why Apple?". Would we be so kind as to direct them to the Apple stand then? Ah well, cough, cough, they aren't here see. Commodore thought it worth it and took over half the top floor, but if you want an Apple - well there is always Personal Computers Ltd, they are the peculiar ones dressed up in Royal Wedding Footpersons livery, ruched blouses and stripy trousers and that, but despite this they not averse to selling the odd Apple or two. But no flag was flown by Microsense. Never mind, perhaps the new regime will read it differently.

What was in it for us? Eighty odd new members, about as many as we can handle in one sitting, a welter of Apple users' questions heard and we hope answered, a lot of work, and, perhaps most important, further identification of the solid body of members prepared to step up and give us their time: the committee joins Eddie Payne in thanking Stuart Morley, John Molloy, Frances Teo, Richard Zawadski, Jonathon Shaw, Jeremy Ensor, Kenneth Gordon, Warren Avery, Derek Botfield, Ian Trackman for helping on the stand. For future reference: you help us out, you get in free! And you get a BASUG helpers badge.



MEMBER OF THE INTERNATIONAL APPLE CORE

ITT MINTH EIT ADDRESSING

By Ken Gordon.

The ITT 2020 differs from the Apple in that its high resolution graphics screens have a resolution of 360 x 192 and not 280 x 192. This is achieved by displaying Bit Eight (which is the colour bit on an Apple) and an extra bit, Bit Nine. This has caused many problems for ITT users, One of these problems is how to change bit nine and then to examine it.

Changing Bit Nine

To write to bit nine the program must first save the value of that byte's first eight bits.

E.G. 10 A = PEEK (8193) or \$1000: LDA \$2001 Then the program must address location \$C05E (HEX)

E.G. 20 POKE -16290,0 or \$1003: STY \$C05E

Now the program can change bit nine to be either low or high as required.

E.G. 30 POKE 8193,128; REM BIT NINE HIGH or \$1005: LDX #80 \$1008: STX \$2001

Now, in order to restore the original values of bits one to eight without causing bit nine to change, the program must address location \$C05F (hex).

E.G. 40 POKE -16289,0

or \$100B: STY \$C05F

It is now possible to restore bits one to eight.

E.G. 50 POKE 8193,A

or \$100E; STY \$2001 ;RESTORE BYTE

The same process is used to make bit nine zero. The only difference is that 0 is used instead of 128 (\$80) at line 30.

E.G. 30 POKE 8193,0 : REM BIT NINE LOW

or \$1005; LDY #00

\$1008: STY \$2001

Examining bit nine.

The general principle is that the program first looks at the required byte and then at \$C063 to see if bit nine was high or low. When bit eight of \$C063 appears low then bit nine of the last addressed byte in hires memory was also low. If bit eight of \$C063 is high then bit nine of the last addressed byte in hires memory is high.

P.9

\$1200: LDA \$2001 \$1203: LDA \$C063

\$1206: BPL \$1210; BIT NINE LOW \$1208: LDA #FF ; BIT NINE HIGH

\$120F: STA \$00

\$1211: RTS

\$1212: LDA #00 : BIT NINE LOW

\$1214: STA \$00

\$1216: RTS

OF

10 A = PEEK (8193)

20 B = PEEK (-16285)

30 IF B < 128 THEN 100 : REM BIT NINE LOW

40 PRINT "BIT NINE IS HIGH"

50 GOTO 70 : REM END

60 PRINT "BIT NINE IS LOW"

70 END



Colour from **EuroApple** without 'Colour Card'

14" Colour Monitors for Computer Application Model AM 3781 dedicated to Euro Apple, £325.

> No 'colour card' required High Resolution Colour Graphics 80 Character Capability Full Screen Text Window Display Green or white text

> > SPECIAL TERMS FOR BASUG MEMBERS

> > > Add 15% VAT

Trade enquiries welcome

PortuTel Conversions Limited 25 Sunbury Cross Centre Sunbury on Thames Middlesex Tel: No. Sunbury (09327) 88972 VIDEO MODIFICATION SPECIAISTS



Accutrack Disks . . .

Because data reliability is the important difference in disk construction.



Anatomy of a disk.

Flexible disks are simple information storage devices consisting of a magnetic disk enclosed in a semi stiff protective jacket. The disk rotates within the jacket while magnetic recording heads on your data or word processing systems "read" or "write" information on the disk's magnetic surface. Since disk operation is simple, it's relatively easy to make one that works But building in reliability is something else again. It takes specialized technology to build disks that operate flawlessly over an extended period of time.

What counts in disk construction.

Key design objectives for a disk are listed below. How well a disk measures up to these objectives relates directly to the throughput, accuracy and overall costs for your data or word processing system. No disk measures up better than Accutrack.

- The magnetic coating must be precisely formulated and uniformly applied. Imperfections as small as five millionths of an inch cause signal dropouts, data checks and wasted processing time as well as errors.
- The disk surface must be absolutely clean, totally flat and permanently lubricated to prevent excessive head wear with subsequent signal degradation and eventual loss of information. (This is the most critical objective and the one that's most often compromised

since poor operating results take a while to show up. It's also the area that most effects the long term reliability of your data.)

- The disk must be free to rotate within its jacket without internal drag to avoid further data checks, excessive processing times and errors.
- The jacket must protect the disk from external contamination and damage. It should also remove microscopic particles of debris from the disk surface before they can damage the disk.

Why you'll never find the best disk bargain in the bargain basement.

While there's little apparent difference between other disks and Accutiak, the performance differences can be substantial Simply stated, an Accutrack disk is premium priced. But the protection it gives your information, the reliability it provides to your operations, and its substantially langer life make if the best disk buy. After all, the real cost of your operations is constructing and processing the data stored on the disk - not the disk itself It doesn't make sense to trust that data to anything but the best disk Accutrack.

BASUG BULK BUYING - 500 off PRICE FOR 10s

£17:50 incl FREE LIBRARY CASE!

(ADD 50p POSTAGE / PACKING)

BRITISH APPLE SYSTEMS USER GROUP

P.O. Box 174, Watford WD2 6NF.

WHY ARE 25 MULTINATIONALS CWP CUSTOMERS?

C/WP is a long established service company based in Rochester Row, London SW1.

CWP Computers is an Apple authorised level 1 service centre.

C/WP now offers readers of Hardcore the chance to buy at its special prices.

Apple/Visicalc offer

 Apple 48K Europlus
 £579.00

 Disc drive with controller
 £300.00

 12" green monitor
 £140.00

 Silentype printer
 £180.00

 Visicalc 3.3
 £100.00

 VAT and installation extra
 £1299.00

C/WP

C/WP Computers 01-828 3127

108 Rochester Row London SW1P 1JP

Pippin's Page ~~~~

Edited for younger readers by Vernon Quaintance

In the last issue we saw how the Apple could be used in Immediate Mode as a sort of large calculator. We also saw how we could PRINT out words and the results of our calculations, if we wanted them. I hope you have done lots of experimenting with the use of commas and semicolons in your PRINT statements, so that you know exactly what each does.

I told you that there was another way of using the computer. This is called Deferred Execution Mode. In this mode we must first write a PROGRAM which the computer will later follow. As you will see, the computer appears to do nothing as we type in the program instructions, unlike the Immediate Mode where it immediately did as it was asked.

Before we can write a new program, we must make sure that there is not part of an old one still in the Apple. To do this type NEW. Do this now. Right, now what exactly is a Program? It is a series of instructions which the computer is to obey, in the correct order, at some later time. How do we make sure that the computer knows the right order for the instructions? We number each line of instructions; this also gives us straight away a difference between Immediate Mode instructions and Program instructions.

Try typing the following short program:-

10 PRINT "2 + 6 = ";2+6 <return>
20 END <return>

Remember that return means press the key
marked RETURN. You must do this at the end of
each numbered line to tell the Apple that you have
finished that line. I will not show this (return)
in future, but remember to use it.

Nothing happened as you typed this, did it? That was because each line started with a number and the computer knew that you were writing a program. Now type RUN. As soon as you press the return key your Apple will reply with:

2+6=8

Notice the command in line 20. In Applesoft BASIC this is not actually necessary but should always be used in case you want to try your programs on either an Apple with only Integer BASIC, or on some other type of computer. We have now learned three new commands, and written our first program. Can you remember the new commands? Yes, they are NEW, END and RUN. Go back and read again what each of these does. Now try to write a short program of your own.

Have you noticed that you can keep on RUNning your program over and over again? It is normally still in the Apple's memory until you type NEW or turn off the Apple. Perhaps by now you can no longer see the program on the screen. If you type LIST, look what happens! Your program is there on the screen again. The Apple LISTed out the lines of your program.

Now let us look at another thing we can do in a program, that we cannot do otherwise. Type:

10 PRINT "2 + 6 = ";

20 PRINT 2 + 6

30 END

Now RUN this program. The result is the same as before, but notice that the two PRINT statements are on different lines. The PRINT statement in line 10 ends with a semicolon, doesn't it? Remember, this stops the printer or screen from starting a new line there. A semicolon (or comma) used at the end of a line like this is said to be trailing. You will find out as you write programs, just how useful the trailing semicolon can be.

In the short program above, we numbered our lines 10, 20 and 30. We could just as easily have called them 1, 2 and 3 - the program would still have run. It is usual, however, to start our line numbers at either 10 or 100 and then to go up in 10's. The reason for this is that we may want to add some extra lines in the middle. If we use consecutive numbers for our lines, then there is no room for any new lines without re-typing the whole lot. In the program above we could add a new line 15, say, without disturbing the other lines. Try typing something for a line 15, and then LIST your new program. See how the new line has been added in its correct place. BASIC will always sort the lines into ascending numerical order, that is the order in which the commands will later be obeyed.

In all the calculations which we have done so far, the numbers have been directly written in. Suppose we want to use the result of one calculation a little later on in another calculation.

We then need a means of storing the first answer for later use. The way we do this is by means of something called a VARIABLE. A variable is like a sort of pigeon-hole, a little box into which we can put a piece of paper with a number on it. We then label the pigeon-hole with a name so that we know where to look for that number later on.

The name which we use for our Variable can be almost anything we like provided three conditions are met. These are:— The name must start with a letter (not a number); The first two characters must be different from the first two characters of any other variable name; The name must not be, or include, any BASIC command word.

A variable is given a value by means of an Assignment statement, using the command LET, for example:—

10 LET PI = 3.147

20 LET RADIUS = 7

30 LET AREA = PI * RADIUS^2

40 PRINT AREA

50 END

Here we have used three variables called PI, AREA and RADIUS. The program directly assigned values to PI (in line 10) and to RADIUS (in line 20). AREA was assigned a value as the result of the calculation in line 30. Type in and RUN the short program above. Now try typing PRINT PI, or PRINT RADIUS. They are still there, with the values which we gave them, ie 3.147 and 7 respectively. When we use a variable, what we do is like going to the pigeon-hole and looking at the piece of paper, without taking it away.

Now try writing your own program using the commands which we have just learned. Next time we will learn how to give numbers and words to the program as it it running.

Enjoy your Apple programming.

REM ************** 100 110 REM * HOW TO PUT QUOTES 120 130 140 IN AN EXEC FILE REM * REM * * BY R.D. PURVES * ********** REM * 150 REM 160 PRINT : D\$ = CHR\$ (4) PRINT D&"OPEN EXECDEMO"
PRINT D&"WRITE EXECDEMO" 170 180 PRINT "?" CHR\$ (34)"HAPPY "; 190 200 PRINT "NEW YEAR" CHR\$ (34) PRINT D\$"CLOSE" PRINT D#"EXEC EXECDEMO"

S.B.D. Software is proud to announce their distribution agreement with the most up to date APPLE-only magazine in America.

CALL A.P.P.L.E.

Now you can purchase this outstanding magazine for the low price of £1.75 per issue.

Your subscription for 12 or 24 magazines may start from any month in 1981.

Single back issues are available at £2.25 per issue including postage and packing.

A bound volume of the 9 issues in 1980 is available for £20.00 including postage and packaging.

(Please note that in 1980 & 1981 there were only 9 issues published but in 1982 there will be 12 issues.)

CALL A.P.P.L.E. is ahead of any other APPLE publication for its technical information and evaluation of all hardware and software for the Apple.

For example:-

In the June 1981 issue CALL A.P.P.L.E. had already reviewed the new APPLE III.

In the July/August 1981 issue one of the topics in CALL A.P.P.L.E. was loading DOS 3.3 onto the Language Card.

In the September 1981 issue Word-Processing reviews have begun, they will continue reviewing 5 different word-processors until they run out of software to evaluate.

SPECIAL INTRODUCTORY OFFER


expires 31st December 1981

12 issues @ £19.50 24 issues @ £39.00 Act Now and Save


| NAME | | | |
|-------------|---|------------------------------|------|
| ADDRESS. | ******************************* | | |
| TOWN | | | |
| POSTCOD | E | | |
| | | ib. @ £19,50 ib. @ £39,00 | |
| Please star | t my subscription | Month | Year |
| Barclaycar | d/Access Number | Expliy C | Date |
| Please ma | ke cheques payable t | to CALL APPLE (UK) | |
| Send to:- | CALL APPLE (UK) c/o SBD Software FREEPOST RICHMOND SURREY TW9 1BR (No postage stamp Telephone: 01-940 | | |

BUSINESS BASIC HAS LANDED


FEATURES INCLUDE :-



FORMATTED OUTPUT DGRAMMABLE TAB FIELD DIRECTIONAL SCROLLI OUT ',;:' TO STRINGS PROGRAMMABLE FIELDS SCROLLING INPUT ',;:' TO STRINGS
DISK STORE/RECALL COMMANDS GIVING DISK STORE/RECALL COMMANDS GIVING -3 FOLD SPEED INCREASE AND UPTO 3 FOLD SPACE REDUCTION RECT ACCESS TO DISK SECTORS DIRECT MIDS-STRING HELP' FOR DEBUGGING OUTPUT SCREEN? OR PAGE THE MINI ASSMBLER USES ALL 68K OF RAM




SEE MICROSOURCE FOR DETAILS IF YOU CAN RUN PASCAL YOU CAN RUN BUSINESS BASIC





kay-jay studios

135 COLES GREEN ROAD LONDON NW2 7HN TEL: 01 450 6993



ANNOUNCING A MLW PRODUCT WANCE :-

PLUGIT

A range of interconnecting cables for the APPLE & its peripherals. The first in this range is an extension for the GAME I/O PORT; a DIL with 24 inches of ribbon cable teminating with a 15 rin D socket.

introductory price £19.95 inc vat p&p
Also available a BIL plug with 24 inches ribbon cable terminating with
a zero force insertion socket; and FS 232 extension cables.
Telephone for latest information or S.A.F. for full range and prices.
TG JOYSTICK £35.00 inc VAT & p&p.

Reprinted from 'Creative Computing' magazine,



Applesoft Compilers:A Comparative Evaluation

Helmar Herman

Many Apple owners have waited with great anticipation for an Applesoft Basic compiler. Now, within a span of a few months, four companies have released Applesoft compilers.

Why this interest in Applesoft compilers? And what is an Applesoft compiler any-

way?

To understand what a compiler is, and what it can do for you, you must first understand how your Applesoft Basic works.

Interpreter

Applesoft is an interpretive language. Each time a Basic statement is to be executed by Applesoft, Applesoft must re-examine the statement to determine what to do. (Please refer to the sample program in Listing 1.)

10 INPUT 'ENTER A NUMBER'; NUM 20 PRINT SQR(NUM) 30 GOTO 10

Listing 1. Sample Applesoft program.

Every time the program logic goes to a new line. Applesoft must examine the statement. For example, in line 10, Applesoft must determine that it is an INPUT request, that ENTER A NUMBER is to be displayed prior to prompting the operator, and that the response is to be placed in NUM.

When a number is entered, Applesoft will then examine statement 20 and perform the specified action (PRINT). Applesoft will then examine the next statement, 30, and perform the GOTO request.

Whenever a new line is encountered, Applesoft must re-examine the line as though it has never seen it before. It is because of this constant re-examination of statements that interpretive languages are slow.

Another problem with interpretive languages is that whenever program control is to transfer to a new statement (statement 30), Applesoft must spend time looking for the statement to which transfer is to be made. In a large program, this can take a considerable amount of time.

Compiler

A compiler transforms the Basic program into a machine language program. Each statement is examined by the compiler and is converted (compiled) into machine language instructions that perform the specified action.

When the program is run, the compiled machine language program is executed directly by the hardware, without a software interpreter having to examine each line.

When program control is to be transferred to a new statement, the address of the new statement is compiled into the machine language program, thus eliminating the need to search for the statement to which transfer is to be made.

Advantages and Disadvantages

There are various trade-offs with interpreters and compilers. See Figure 1 for a list.

In general, interpreters are much better when developing programs because of the ease and speed of program modification and debugging. Compilers are better when the program is ready for production work because of the speed advantage.

Four Systems Examined

The four systems being examined are Expediter II from On-line Systems. TASC from Microsoft Inc., Applesoft Compiler from Hayden Publications, and Speed Star from Southwestern Data Systems.

In examining these systems, important items to look for are:

- Accuracy. The compiled programs should run exactly as the interpreted programs do.
- Compatibility, All functions of the Applesoft interpreter should be supported.
- Program Optimization. The faster and smaller the compiled program, the better.
- Communication. Compiled programs should be able to pass information to and from other compiled programs.
- Program Size. Compiled programs will normally be larger than the interpreted version. If the compiler generates excessively large programs, its usefulness may be limited.

| Item | Interpreter | Compiler |
|--------------------------------|---|--|
| Ease of program development | Here the interpreter is far superior. A change to a program can be made and the results tested in just a few seconds. | Whenever a change is made to a program, the program must be re- compiled before testing can proceed. |
| Speed | Interpreted programs run relatively slowly. | Compiled programs run relatively fast. |
| Size | In general, interpreted programs are smaller. | Compiled programs are generally two to three times larger than inter- preted programs. |
| Remarks | Remarks are to be avoided because they make the program larger and slower. On the other hand, pro- grams without remarks are very difficult to modify, | Since remarks are re- moved during the com- pilation process, they may be used as needed. |

Compilers, continued...

Slightly less important items of interest

 Speed of Compilation. Since (in theory) compilation is performed only after the program has been debugged, the program won't be compiled very often. A fast compile is nice, but not a critical factor.

2. Ease of Use. The compiler should be

easy to use and forgiving in nature. It should be fairly safe to assume, however, that most persons using an Applesoft compiler must be familiar with Applesoft and know how to program.

Also of interest to software authors who may want to market compiled programs is the policy of the compiler company toward distribution of compiled code.

```
5 REM TEST A
10 REM STRING MINIPULATION TEST AND TRY TO CAUSE APPLESUEL IR
20 HOME : INPUT "HIT RETURN TO BEGIN TEST"; X$
100 KEM FILL THE STRINGS
105 TEST$ = "A"
110 X$ = "x"; Y$ = "x"; Z$ = "x"
140 FOR COUNT = 0 TO 250
150 Xt = Xt + "1"
160 Yt = Yt + "1"
     Z$ = Z$ + "1"
170
175
      COSUE 2000
      NEXT COUNT
REM FILL ARRAYS WITH THE STRINGS
VTAB 12: HTAB 15: PRINT "
180
200
     TESTS = "F"
205
     DIM X4(20),Y4(20),Z4(20)
FOR COUNT = 0 TO 19
210
220
230 ($(COUNT) - X$
240 Y$ (COUNT) - Y$
250 26 CCOUNTY = Z$
75.5
       COSUB 2000
      NEXT COUNT
REM STRIP DOWN THE CHARACTERS
260
700
       VTAB 12: HIAB 15: PRINT "
301
305 TEST# =
      FOR COUNT = 1 TO LEN (X1) - 1
307
310 X$ = LEFT4 (X4, LEN (X4) - 1)
320 Y$ = LEFT4 (Y$, LEN (Y$) - 1)
330 46 = LEFT+ (Z4, LEN (Z4) - 1)
335
       GOSUB ZOOD
       NEXT COUNT
PRINT "TEST COMPLETE"
340
1000
        END
1010
        REM ROUTINE TO DISPLAY CURRENT TEST AND COUNT
2000
        VTAB, 12: HTAB 15
2010
2020
        PRINT TESTS, COUNT:
2030
        RETURN
```

Expected Problems

Programs that call other programs that have been compiled will have to be changed to do a BRUN XXXXXXXX (or BLOAD XXXXXXXX:CALL YYYY) instead of a RUN XXXXXXXXX.

Programs that depend on timing loops will have to be modified. For example, suppose a program uses the following statement to pause for a few seconds: 10 FOR X=1 TO 1000:NEXT X. With an interpreted version, this may take 2-3 seconds. With a compiled version, however, it may take only a fraction of a second.

Real-time games will have to be modified to adjust for the speed increase. How' would you like it if all of a sudden the balls in your favorite game started whizzing by at five times the speed you're used to?

```
5 REM TEST B
10 REM PROGRAM SIZE TEST
100 A=1
1010 END
```

Listing 3A. Program size test.

```
5 REM TEST B
10 REM PROGRAM SIZE TEST
100 A=1
110 B=2
1010 END
```

Listing 3B. Program size test.

Listing 2. String manipulation test.

```
REM TEST OF A BURBLE SORT
HOME : INPUT "HIT RETURN TO BEGIN TEST";X1
10
20
     DIM A(100)
30
100 REM FILL THE ARRAY
105 TEST$ = "A"
110 FOR COUNT = 1 TO 100
120 A(COUNT) = 101 - COUNT
125 GOSUB 2000
130
       NEXT COUNT
200 REM SORT THE ARRAY
201 VTAG 12: HTAB 15: PRINT "
205 TESTS = "B"
     FOR X = 99 TO 1 STEP
210
215 COUNT = X: GOSUB 2000
220 FOR Y = 1 IU X
230
                     = A(Y + 1) THEN 270
      IF A(Y) <
240 A = A(Y)
250 A(Y) = A(Y + 1)
260 A(Y + 1) = A
270
       NEXT Y
280
       NEXT X
        PRINT "TEST COMPLETE"
1000
1010
               ROUTINE TO DISPLAY CURRENT TEST AND COUNT
2000
        VIAB 12: HTAB 15
PRINT TESTS, COUNT;
2010
2020
2070
        RETURN
```

```
5 REM TEST D
10 REM SPEED TEST FOR HEAVY DISK 1/0 PROGRAM
     HOME : INFLIT "HIT RETURN TO BEGIN TEST"; AS
30 D$ = CHR$ (4)
40 TEST$ = "A"
100 REM OUTPUT THE FILE
      PRINT DI;"OPEN TESTFILE.DI"
110
      FOR COUNT = 1 TO 100
PRINT D3;"WRITE TESTFILE"
PRINT "THIS IS THE SAMPLE RECORD,";COUNT
130
140
150
      COSUE 2000
      NEXT COUNT
160
     PRINT D#;"CLOSE TESTFILE"
REM READ THE FILE BACK
TEST# = "B"
200
210
220
      PRINT DS;"OPEN TESTFILE"
230
      FOR CCOUNT = 100 TO 1 STEP
210
      PRINT DS;"READ TESTFILE"
      INFUT Z$,COUNT
250
278
      NEXT CCOUNT
      PRINT DS;"CLOSE TESTFILE"
      PRINT "TEST COMPLETE"
1000
1010
       END
             ROUTINE TO DISPLAY CURRENT TEST AND COUNT
2000
       REM
2005
       PRINT DS
       UTAB 12: HTAB 17: PRINT "
UTAB 12: HTAB 15
2007
2010
       PRINT TESTA, COUNT
2020
2030
       RETURN
```

Listing 4. Bubble sort test.

Listing 5. Speed test for heavy disk I/O program.

Compilers, continued ...

The Tests

Test A (Listing 2) is a string manipulation test. Being tested is the speed of the compiled version and its vulnerability to Applesoft frees. Since string manipulation requires a fair amount of work by the computer, I would expect a significant time improvement in this test. An Applesoft free, by the way, is a problem that arises in large programs that do a great deal of string manipulation. As the area reserved for strings fills up, Applesoft periodically condenses the strings (also called garbage collection) to free up room at the end for more strings.

Test B (Listings 3A and 3B) is a test to see how large a single statement program

is and how much it grows by adding one simple statement. Listing 3A will show you how much overhead each program will have. To this overflow you then add the amount of storage taken by each compiled program statement. The lower the overhead, the better.

Test C (Listing 4) is a general speed test. It uses a bubble sort (one of the slowest) to test the speed of a logic-bound

program.

Test D (Listing 5) tests the speed of a heavy disk I/O program. I expect that compiled programs will run at about the same speed as interpretive programs.

See Figure 2 for the results of the tests. All the compilers tested shared the following features:

1. The compilers produce machine language object code that can be loaded and run with the BRUN command.

2. The compiled program can be placed anywhere in memory. Once compiled for a particular place, it can only run there.

3. Figure 3 shows what commands are not supported by which compilers. 4. Special compiler directive commands

are supported via RFM statements.

Compiled programs cannot be interrupted with Ctl-C.

6. They support local or global variables. Global variables allow you to pass information from one compiled program to another (but not from an un-compiled program to a compiled one).

7. Once started, the compilers can only be interrupted with the Reset key.

Expediter II

Expediter II comes with two disks. One for DOS 3.2, and the other for DOS 3.3.

The disks are copy protected.

Rather than just producing a machine language program which is then BRUN, the compiler produces a one statement Applesoft program. The one statement is usually 1 CALL 4352. The machine language portion of the program is attached to this single line Basic program. You can thus SAVE, LOAD, and RUN the program exactly as you would any other Basic

If you must have a BLOADable version of the compiled code, there are instructions

on how to accomplish this.

You can also leave "holes" in your compiled code to provide room for such

things as the hi-res areas.

One potentially difficult problem is in the method used for string manipulation. Applesoft treats all strings as variable length strings. Thus a 5-byte string and a 60-byte string would take 65 bytes (plus overhead). Expediter treats all strings as fixed length strings. Before compilation you must specify how long the strings are to be. All strings will then be that length. Thus a 5-byte string would still occupy 60 bytes for whatever string length was specified).

| TEST | LENGTH | | SPE | EED |
|------|--------|------|-----|-------------|
| | | (C1) | (C2 |) |
| A(I) | 717 | 23 | | Listing 2. |
| A(O) | 3465 | 30! | 33 | |
| A(M) | 4797 | 13 | 98 | |
| A(H) | 2500 | (*1) | 14 | |
| A(S) | 3222 | 17 | 1 | |
| B(1) | 38 | | | Listing 3A. |
| B(O) | 2362 | | 11 | |
| B(M) | 4028 | | 62 | |
| B(H) | 376 | | 10 | |
| B(S) | 2101 | | 1 | |
| B(1) | 46 | | | Listing 3B. |
| B(O) | 2384 | | 11 | 110000 |
| B(M) | 4048 | | 62 | |
| B(H) | 395 | | 10 | |
| B(S) | 2124 | | 1 | |
| C(1) | 464 | 124 | | Listing 4. |
| C(O) | 2964 | 27 | 23 | |
| C(M) | 5049 | 40 | 94 | |
| C(H) | 2622 | 24 | 15 | |
| C(S) | 3070 | 53 | 1 | |
| D(I) | 594 | 36 | | Listing 5. |
| D(O) | 3275 | 32 | 27 | - 120 dr. 4 |
| D(M) | 4642 | 30 | 94 | |
| D(H) | 1937 | 30 | 13 | |
| D(S) | 2730 | 30 | 1 | |

The top numbers (I) are the interpreter figures;

(O) are the On-Line compile figures;

(M) are the Microsoft compiler figures;

(H) are the Hayden compiler figures;

(S) are the Southwestern compiler figures.

Note-the compiled lengths for each compiler are calculated differently. Length comparisons may not be completely accurate.

- (O) compiled length excludes variables.
- (M) compiled length includes variables.
- (H) compiled length includes non-string variables.
- (S) compiled length includes variables.

(C1) is the program run speed.

- (C2) is compilation speed (how long does it take the compile).
- *When Listing 2 was compiled and run on the Hayden compiler, an error occurred after the 147th loop of test A. The error was OUT OF MEMORY ERROR IN MODULE \$0803. In accordance with a suggestion from the manual, I added the following line the program: 145 X=FRE(0). The program then ran in 15 seconds.

Compilers, continued...

The good part of this is that there is never any garbage collection. Also, in theory, string operations should be faster. In practice, however, they appear to be slower.

The bad part is that if you have many strings, they must all be as long as the longest one, which may cause a storage problem.

Worse, is that you are not notified if you exceed a string length. The program just keeps on running, wiping out who knows what variables until eventually something vital is destroyed and the program fails

There is an unusual restriction with this system. All arrays must be defined in the program physically ahead of the first use rather than logically ahead of the first use. Thus the following program is invalid:

10 GOSUB 100

20 A(20) = 5

30 END

100 DIM A(20)

110 RETURN

The DIM statement at 100 must physically precede the first use at statement 20 even though statement 100 will be executed before statement 20.

Because of this restriction, and because of the common practice of placing DIM statements at the end of programs (for speed), inexperienced users may have trouble with Expediter when compiling off-the-shelf programs.

As far as speed and length of programs, the Expediter sits comfortably between the extremes produced by the tests, though it created the slowest code for the string program. On the other hand it has the fewest unsupported Basic statements of any of the compilers tested.

An annual charge of five times the list price is charged for distribution of compiled

On-line Systems, 36575 Mudge Ranch Rd., Coarsegold, CA 93614, \$99.

TASC (The AppleSoft Compiler)

The version of TASC that I tested was a pre-release Beta test version, and all test results should be viewed in that light.

TASC is distributed on a DOS 3.2 disk. It can be muffin'd to produce a DOS 3.3 version. The disk I have is not copy protected, and Microsoft has indicated that they have not yet decided whether or not they will copy protect the final production version.

TASC was written in Basic and then used to compile itself—a very intriguing

The output from TASC is a relatively small BLOADable file. The size of the object program is deceptive, however, because in order to run the program, you must first BLOAD the file RUNTIME. RUNTIME contains execution time sub-

| Unsupported Statement | On-line | Microsoft | Hayden | Southwestern |
|--------------------------|---------|-----------|--------|----------------|
| | | | | 29411102,14111 |
| CONT | U | U | S | U |
| DEF FN | S | | | S |
| DEL | U | U | U | U |
| HIMEM | U | S | S | S |
| IF X5 THEN | S | *** | S | S S |
| LIST | U | U | U | II |
| LOAD | S | Ü | U | U |
| LOMEM | U | U | S | \$ |
| NEXT | ** | S | S | S |
| NOTRACE | S | U | U | S |
| RECALL | U | 1.1 | U | II. |
| RESUME | U | S | S | II |
| SAVE | S | U | U | ti |
| SHLOAD | S | U | U | S |
| STORE | U | U | Ü | 11 |
| TRACE | S | U | 11 | Š |
| & | S | Ü | 5 | **** |
| | | | 540 | |

U = Unsupported
S = Supported

*DEF FN may be defined, but not re-defined.

**A FOR may have one and only one corresponding NEXT. The following program would be invalid:

10 FOR X=1 TO 10

20 IF X=5 THEN NEXT X:GOTO 40

30 PRINT X:NEXT X

40 END

***Sirings may not be used as a logical argument.

Statements such as IF A\$+B\$ THEN 100 are illegal.

Statements such as IF A+B THEN 100 are legal.

****Makes the compiler crash.

Figure 3. Unsupported Applesoft statements.

routines which are called by your compiled program. It is approximately 4K long.

It is a slight inconvenience to have to BLOAD RUNTIME every time you want to run a compiled program. On the other hand, the amount of disk space required for each program is reduced.

For frequently used programs, you can simply write an Applesoft program that BLOADs the runtime package and then BRUNs your compiled program.

Unlike the other compilers. TASC can be gracefully interrupted while compiling.

Whenever the program pauses for user information, such as program name, you can enter DOS command by prefixing the response with a Ctl-D.

TASC fared worst in compilation speed, but did reasonably well in execution time. While the runtime routines take a fair chunk of space, the compactness of the compiled code could make up for this in long programs. TASC had more unsupported statements than any of the other compilers.

Microsoft, Inc., 10800 NE Eighth Suite 819, Bellevue, WA 98004. (206) 455-8080. \$150.

Hayden Applesoft Compiler

The Hayden compiler is currently available only in 3.2.1 format. Hayden indicates that a 3.3 version is coming and will be shipped free to users who have returned their warranty cards.

Although the disk is not copy protected, the system is shipped with a special "protection device" that must be installed in the game I/O socket.

Hayden was not specific about charges for re-distribution of compiled code. The impression I got was that each request will be handled on an individual basis.

Two extra programs are supplied with the system. The first is the only full color, low-res, single disk copy program I've ever seen. It's quite entertaining. Second is a program to "de-muffin" programs from DOS 3.3 to DOS 3.2. I expect that the second program will disappear on DOS 3.3 versions.

This compiler was the second fastest in compilation and registered favorable execution speeds. On the other hand, each time you want to re-compile a program, you must re-boot! If you are already booted, there is no way to invoke the compiler without booting again. Also, when the compile is done, you must hit the Reset key to exit—a rather strange idea.

The ability to pass data from compiled program to compiled program is limited. All numeric variables must be referenced in the respective programs in exactly the same order. If string variables are shared, then FRE() statements must be inserted into the programs at strategic points.

Like the Microsoft compiler, this one also generates a set of runtime subroutines. These subroutines can either be included in the program or be declared EXTERNAL. If they are external, then they must be BLOADed before execution.

Speed Star

The version of Speed Star that I tested was also a pre-released test version. All test results should be viewed in that light.

Like the Hayden compiler, this one is protected by a device inserted into the game socket. According to Southwestern, the final version will allow you to plug your game paddles into the protection device, thus allowing both to be attached at the same time.

This compiler is lightning fast. The test compiles were done almost instantaneously. Also, repeat compiles are quick because you don't have to reload the compiler each time. However, comparative execution speed varied considerably from test to test. The compiler locates itself at location X'7200' and is invoked with the "8" key.

The address at which Speed Star runs is HIMEM for a 32K system. Unfortunately, it still loads there on a 48K system. The extra 16K does not appear to be useable during the compile process, thus limiting the size of your program.

One nice feature is the ability to include Ctl-C checking logic in the object program automatically. Also, you can have the system check subscripting ranges. These checks, of course, do not come free. They result in a decrease in storage and a slight

speed degradation.

There are many times when a significant speed increase can be accomplished just by having one or two Applesoft sub-routines converted to machine language and leaving the rest of the program interpretive. This was the only compiler that allowed interpreter programs to call and pass variables to and receive variables from compiled programs. Although I didn't actually try this feature, it seemed fairly simple, based on the documentation.

Southwestern Data Systems, P.O. Box 582-S, Santee, CA 920071 (714) 562-3670. \$85 (introductory price).

Conclusions

I ran one other test on all four of the compilers in which I tried to compile the menu program from The CCA Data Management System. The program works perfectly in interpretive mode. After compiling, I got the following results:

Microsoft: It worked for a while. I was able to define the system configuration, but then it crashed into the monitor.

Online: The screen went blank and then

Hayden: The menu was displayed, but whenever I tried to enter a number for a valid function, the system beeped and rejected it. Then when I entered an invalid function, the program got an Applesoft error.

Southwestern: The configuration portion ran, but instead of displaying the menu, the program terminated.

Just as an educated guess, I suspect that the compilers are having trouble with the ONERR routines.

I recompiled with the Microsoft compiler and specified inclusion of the RESUME logic. The program worked much better and operated correctly with one minor exception.

At about this time. Microsoft sent me some fixes to their compiler, and wonder of wonders, the problem was solved. The

menu now worked perfectly.

I was encouraged by this and tried compiling the SORT portion of the system. A dramatic success. The compiled program ran perfectly and was substantially faster than the interpretive program. I did have to modify the program to change the dynamically dimensioned arrays to statically dimensioned arrays.

The above experience illustrates my concluding statements and conclusions:

The larger and more complex a program is, the less likely it will compile successfully without modification (for example, dynamic arrays)


For one reason or another, off-the-shelf programs will probably not compile successfully without modification and effort.

Recommendation

Before I applied the patches to the Microsoft compiler, I was not ready to recommend any of the compilers.

After running the fixed program, however, the Microsoft compiler would be my recommendation. Although it is by far the slowest, the programs it compiles seem more likely to run successfully. It appears that once again, the tortoise has beaten the harcs!

If you have programs that are too large to compile, you may want to consider the Southwestern compiler. It is the only one to support the compilation of subroutines with full data transfer capabilities. As was evidenced with the CCA DMS main menu. however, you may have to fiddle with your program to get it to work.




SPECIAL
OFFER
TO BASUG
MEMBERS

VALID UNTIL
31 / 1 / 82
ONLY


APPLEFAN
BASIC UNIT
£49.50
+ VAT & P+P

SEND YOUR
CHEQUE
FOR £58.65 TO

BASUG,
P.O.BOX 174,
WATFORD,
WD2 6NF.



THE APPLEFAN UK



The APPLEFAN unit is an easy to fit accessory which reduces the risk of machine failures due to over heating when using certain interface cards.

The APPLEFAN also enables the mass of wires found at the back of most APPLE II systems to be tidied up. Making a neater and more reliable system.

No soldering or major changes are needed to fit the APPLEFAN.

FEATURES: -

Low Noise High Quality Fan. Only 30db. Quieter than most Disc Drives.

Cooling Keeps components at a Low SAFE TEMPERATURE even


with cards in every slot.


Appearance Reduces mass of wiring at Rear of APPLE II. Matches colour &

style of APPLE.

Easy to Fit Can be fitted in 10 minutes. Plugs in - NO SOLDERING -Rigid fixing to APPLE II.

Additional Connector Kits Available.






CONNECTOR KITS:

Connector & System kits are available which can be fitted to the APPLEFAN which allow devices such as Games Paddles. Graphics Tablet, Monitor Power Supply, Disc Drives etc. to be plugged and unplugged from the Computer without having to remove the Top Cover. Space is available on the APPLEFAN to fit connectors for:—up to 6 Disc Drives, 2 Printers, Monitor Power Supply, Switched Monitor Outputs, Games 1/0, Cassette Interface, and two 25 way outputs for additional peripheral

Basic APPLEFAN unit (includes Mains Input, £62.00 On/Off Switch, Monitor Output, Fan, Fixing Screws, Templates and Instructions) Disc Drive Connector Set £16.00/pair Cassette Connector Set €4.25 Printer Connector Set £16.00/pair (25 way 'D') Monitor A/B Box Set £10.50/per set (switch between 2 inputs - 1 output) Games Connector Set £9.80/per set Monitor Power Supply Kit £7.00/per set 25 way 'D' Connectors £7.90 per socket (IDC for .05 pitch flat cable) £7.95 per plug Retail Prices Excluding VAT Dealer Discounts Available



Apple is a Registered TM of Apple Computers, Inc.

21a Station Road, Knebworth, Hertfordshire, England. Telephone: Stevenage (0438) 812137





reader's letters

Reigate

Dear John,

(If your letter is here and you expected a reply personally, DID YOU SEND A SAE? If you didn't I treated it as a letter for HAROCORE. If you have a problem that requires immediate answer, it is easier if you can go to a local group meeting. If there isn't one near you, start one. Or, if there is a contact near you, badger them to get something going and let us know what is going on. Meanwhile, keep the information flowing in, you are doing

Rickmansworth

Dear Sirs.

well, John Sharp)

Just over two weeks ago I sent a cheque for several disks, As yet I have not received them. I am concerned, as the last time I ordered a disk I waited well over a month before it arrived.

If the demand for software from the group is high could not the group employ someone on a part time basis to deal with demands for software....?

Nigel M Cook

(As you can see from the agenda of the SGM we are looking to take on some paid help. But at the moment we are struggling at times. The post varies, and can be up to 100 letters a week. Unfortunately, the week after a magazine goes out it tends to be inflated with orders and as we are voluntary something has to give. Occasionally, orders do go astray, as was the case with your first one. Considering the numbers of disks etc we do send out we do not do too badly. Then there are problems because we are spread out. This is especially true of the disk copiers so if a particular disk runs out there will be up to a week before fresh supplies arrive. Please be patient, we are doing our best. Please wait a month before complaining, but do complain if you feel it isn't good enough, and if you live close to Watford, we can always do with some help.

... As you know Len Gould and I have just about got a small group off the ground up here ... we would both be interested in a resurrected Pascal course - so keep us informed.

Finally, just a small goody which you might like to publish if not already in widespread use:

POKE 1013,76) Built into "Hello" for instance

POKE 1014,165) will give listing by typing

POKE 1015,214) "&" (Return).

Cheers,

Q. Reidford.

Mons, Belgium

Dear John,
I find that the Menu 2.1/48K program
on the Derver DOM Jan 81 is an
excellent menu program. However, to
make it work correctly in DOS 3.3 you
need to modify the routine for the
free sector count as follows:

BLOAD MENU 2.1/48K CALL-151 9323:96 3DOG BSAVE MENU 2.1/48K, A36608,L1776

It can also be used as a "Hello" program if you modify DOS by 9E42:34

Sincerely yours,

Richard Sylvester

(Ed. Thanks for the tip. WE NEED MORE. A number of others have written in saying they are converting the utility disks to 3.3 DOS. We do not have any idea yet of how many members are still on DOS 3.2, but the disks as we get them are still 3.2. We would like time to do something ourselves, but....if you are doing the conversion let us know, and send them in; you will get a credit for doing so.)

Dear Sir.

Sheffield

Thanks for the copies of Hard Core and the introductory disk. I liked the articles about Peeking and Pokeing. They gave me some insight into what these terms mean. Having only a very basic (sic) knowledge of Applesoft I thought these were a method of cheating employed by people who know a lot more about it than me. The Apple manuals do not seem to be very comprehensive on the subject although I suppose someone who knows what they mean can find the information in the ROM listings. I do have a problem with my machine that I hope some will be able to help me with.

On the DOS 3.3 master disk there is a program called INTBASIC. When I BRUN INTBASIC the screen goes into HGR mode covered in small grey dots and the only way I can recover is to hit the RESET button. I would be very pleased if someone could explain this problem as I think I may have a corrupt disk or possibly something wrong with the Apple.

Yours faithfully,

Martin Stoggell

(Ed. I hope that your questions are answered with this month's BEGINNERS PAGE. You are not the first to come back with this query. I hope the tape users understand what is going on as well, particularly when they see the catalogs printed out in the software library....John Sharp)

Maldon, Essex

Dear Mr Williams,

I'm trying to compile an anthology of biology program listings for publication, for educational purposes and would be grateful to be put in touch with anybody who might be able to help...

Dr P J Baron (Ed. any contributions? Please send them via our box number) Bottesford

Dear Sir,

Apple Machine Language a Reply Tut, tut, Ian Trackman - were you never a rank amateur, thirsting for knowledge of the esoteric ways of 6502 language? I suspect you learned to be a professional programmer in the same way that I entered my profession, by a course of full-time study including degrees and that sort of thing. I share your feelings that we should aspire to high standards and I agree that the book 'Apple Machine Language' by Don and Kurt Inman is not of a high if standard judged by typographical errors and its inability to turn a novice into an expert.

I do, however, think that it is a worthwhile introduction to Apple machine code for someone who is acquainted with BASIC but knows nothing of peeks, pokes, assemblers, etc. Some of the bugs in the text are awful and should never have been allowed in a book of this type, but even with my limited knowledge I have readily spotted them (I think). I would not call this a deep book in the sense that it provides little information on the architecture of the machine, and it is of little use for reference as it has nothing of lasting value in the appendices, such as of intrinsic detailed lists subroutines and how to use them. The authors' comments that having read the book you will be able to dig these things out for yourself is, I believe, a little naive, at least considering my own abilities. The price by the way is about £11.00 which makes it an expensive paperback.

Finally in answer to Ian Trackman I would say that those of us who have become 'experts' in own fields sometimes find it difficult to climb down from that position and to try to see the world through the eyes of those not so skilled. This book does offer a worthwhile introduction, but I must ask! having found out a little about machine language, what book would he recommend to pursue the subject further?

Kind regards,

David Durling

PS I am writing this using the Correspondent: for any future letters can I send a binary file or a text file for you to use with Applewriter, and are there any special constraints?

(Ed. On the subject of Applewriter files, we would prefer you to send us an Applewriter disk, which we will return. Better still, as you are using a Centronics 737, why not make life easier for us by sending us a fill justified, condensed character style print out exactly as you see it here. It is not our policy to edit your letters, if we can avoid it, so why make us re-type? One thing: please use a fresh ribbon.

There has been no time to get a reply from Ian Trackman. We have, however, had a reply from Prentice Hall, who distribute the book in this country to the effect that a NEW REVISED EDITION has been published, which hopefully has had all the mistakes checked. Make sure you get the corrected edition.

Rayleigh, Essex

Dear BASUC.

...The secondhand Apple disk drive I have bought had about 30 disks with it, but no instructions with any of the programs. Can you help? In particular, the problem programs are: Forth, Pilot, Applewriter,ITT 48K Assembler.

The shop where I bought the language card were adamant that the integer card could only be used in Slot 0, just where the Language card had to go too. Sell it off, they said, can't be used! I don't know if any other members have had this happen to them. Well, after a few evenings fiddling with DOS I found that for DOS 3.3 on 48K ITT the following POKEs will tell DOS that the Integer Card is there instead, thus avoiding the necessity of loading integer into the card at all.

POKE 42424,160 POKE 42432,161

(N.B. 160=128+N×16); 161=129+N×16 where N is the slot number.)

After these two pokes any disks INITed will contain the fixed DOS but not if you run MASTER CREATE. To do this I recommend reading "Beneath Apple DOS".

... If there are any handicapped Apple users in my area that I can offer any help or assistance to, please let me know.

Mike Norfolk

Thornton Heath

Dear Someone,

May I add to the general discussion on two points: 1) Magazine name: I consider Hard Core to be a brilliant choice - don't change it. 2) Bit-copiers, I confess that I am thinking of buying one so I can make back-ups, especially of SOC III. Personally I would not be involved in any sort of piracy, as even the simple programs that I write have shown me just how much effort and time goes into the average commercial software. I would suggest that the simple solution would be for all packages to be supplied with at least one back up disk. This would at least provide the user with continuity while arranging for replacement of a damaged / worn disk. While this would not entirely stop piracy it should reduce the incidence of it. There will always be pirates. The addition of a second disk would not significantly increase the cost of a package and in fact, judging from some prices could be supplied at no additional cost.

May I thank you for what I consider to be an excellent and absorbing magazine.

Your faithfully,

John F Towlinson

Wilmington, Kent

Dear Sir,

Many thanks for the disk and issues of Hard Core; the first issue solved several problems I had encountered, e.g., how to draw on one page of Hi-res while displaying the other.

I read with interest of "The Go-Between" for use with Apple Writer and the Centronics 737 and wondered if anything similar existed for use with the Magic Window word processor and the same printer. I have tried writing a Basic program using the soft-copy option of Magic Window to provide justified print, but with little success. Can anyone help as there is little use in having proportional print if it cannot be justified?

By the way, this was written on Apple Spiel, a word processor written in BASIC for the Apple and the 737 and I find it ideal for short letters.

Roland Horwood

'Ed. Hardcore has been taking a first look at the Magic Window as well and our findings are printed elsewhere in this edition. Has anyone solved Roland's problem? If so let us all know. Neil Lomas who wrote APPLE SPIEL has given a copy to the library. We just haven't got around to distributing it yet.)

London, SW16 4UN

Dear David,

In Hardcore number 5, John Sharp posed the question, "what use is there for CALL -958 (clear to end of page)?" I can assure him that this CALL is one which I frequently use. Indeed it should normally be the CALL of choice whenever one wishes to erase an erroneous response to a program's request for something to be typed in.

The programmer cannot usually tell whether the user will type in more than will fit on the one line. If the entry overflows the line then CALL -868 will not clear all of it. CALL -868 should only be used if a) there is material below the affected line which cannot be otherwise protected but must not be erased and b) the erroneous entry cannot spill over onto the next line.

The example given in the article, viz.

30 CALL -868: INPUT "HOW MANY ANIMALS DO YOU HAVE ALL TOGETHER ";A\$

will not work, since the prompt string is 41 characters long and hence wraps onto the second line, which will not be cleared! This is the very place for a CALL - 958!

Your own comment on page 10 of Hardcore 5, in respect of the 'protection' built into the menu of Mr McCarthy's BASIC Tutorial disk misses of this point the totally The use of control 'protection'. characters in the menu makes no difference whatsoever to the direct copying of the disk using any normal copy utility. Both COPYA and FID (using the wildcard option) will cope perfectly well with unusual CATALOG entries. I agree that it is more difficult to MUFFIN the programs across when this type of protection is used, but this must be offset against the advantages from using this type of catalog entry.

The purpose of the hidden letters and control characters is the very laudable one, for such a disk, of making it student proof. Mr McCarthy knows that if he does not protect the CATALOG entry from easy access, someone among his students will change the name of a file or even delete it from the disk! For a similar reason, the program disables both CTRL-C and the RESET key. If only more educational software were written with such safeguards built in!

If any member wants the Tutorial in D.O.S. 3.3 form and cannot otherwise obtain it, I have a copy direct from Dublin which I can duplicate at the cost of disk plus postage.

Yours faithfully, Vernon Quaintance

East Ham

(Ed. Thanks for pointing out the error, Vernon; when you are writing, with Apple Writer, it is a bit of a problem popping back and forth to test what you have written, if time is short, as it always seems to be. On the subject of the BASIC TUTORIAL, although I agree with you on the fact that the disk could be corrupted, the FID or MUFFIN programs are not as easy to implement as you suggest. Why? Because the disk needs to be initialised with the HELLO program as HELLOhhhh where h is a CTRL-H. If you do not do this the turnkey will not operate. But this, as you say is a minor point compared with the possible consequences of not doing it, You seem to be speaking with the voice of experience! Have you lost anything valuable by any chance? John Sharp)

Livingston W Lothian

Dear Sir, Miscellaneous comments which may or may not be of interest.

1) I like Hard Core, but not the title - could it be called something else?
2) Tony van der Kuyl wants to coordinate an East of Scotland regional group. You ask "anything we can do?" Yes, there, is, you could print his address! In fact, I should like to write to one or two of your correspondents, and would appreciate full addresses for all.

3) I have read Doubledos with interest. Is there a type of DOS which will allow a disk to be run on both 3.2 and 3.3 controller cards?

4) I have recently been using "Apple Machine Language" panned by Ian Trackman. I found it a good and understandable introduction to machine language and assembly processing. A major criticism is the lack of any reference to high resolution graphics. Also a table of ML instructions at the back has a column for page refs of first Or explanantion. occurrence Unfortunately these are all blank! My summary as a beginner would be, Excellent for a beginner. Your good work is much appreciated,

Best wishes, Graham Dane

keep it up.

(Ed. Thanks for a thoughtful contribution to the debate, Graham. But we do publish the address of members: it is PO Box 174, Watford. In other words we have a rigid embargo on publishing members' addresses without permission, but will re-direct all communications. Meanwhile contact Tony Van Der Kuyl on what is going on.

On the subject of the disk to be run on both 3.3 and 3.2 controller cards, there is a program called uniboot which allows you to boot a disk with both controller cards but leaves you in a 3.2 environment. How about someone writing up how it is done, and where it comes from. OHNIDOS— see Microsource Advert— will boot on either and will access both types of disks automatically.)

East Ham.

Dear John.

... Please take the following comments on the understanding that they are not criticism since I do appreciate the amount of work involved in trying to meet everybody's needs.

1) While each issue sees a further nine or ten discs available a frightening amount of info to wade through, the "Catalog" very often gives no indication of what the programs are or do. for example, on disc No 23 is a suite of programs "Tough" (with various versions). It is only if one happens to have specific issues of NIBBLE that one would realise that this is a primitive word processing program. Other titles are quite mind boggling as to what they might do.

2) Several titles appear on more than one disc, sometimes with a different number of sectors, which suggests that they may or may not be the same program, or different versions of the

same program.

3) Some (such as microLisp?) cannot be expected to be usable without access to documentation of some sort, either standard references or to magazine articles, etc. from which the particular program is sourced. There are few more frustrating exercises than loading a program only to be faced with a blank screen and a sequence of INVALID COMMANDS whatever key in pressed and with limited or no info on how to get the best from the program. It is not clear which programs require such access or how such documentation is to be obtained. To overcome these difficulties will obviously require a great deal of reviewing of existing library discs and documentation, and this workload will need to be spread around a bit. Perhaps this is something that local units of BASUG could undertake to review if allocated specific disks, or a type to suit their particular members' aptitudes or interests.

You might also consider usinb such groups as distribution points for copies of discs to members which could reduce the orkload on yourself and, I feel, would produce a greater feedback in the form of adaptations and improvements to the library programs. Failing a local group as such, perhaps an individual could act as a local distributor and collator. Many members would be more forthcoming to samebody

local rather than having communicatee with "Head Office". Similarly they (local groups or individuals) might be happy to reproduce as a matter of course the major programs published in NIBBLE, Creative, Call Apple or whatever, if they could be sure that somebody else is not already doing so. I have myself spent some 10 hours (mis-(typing) the aforementioned TOUGH programs, plus another 10 or so finding and correcting my bugs and some of those in the printed edition. It still needs some work in improving input error traps, etc. so I am hoping that the library version contains some of these features in the "enhanced" versions. The number of bugs or weak features in

I don't think that there is any way that the mass of programs being issued can be properly vetted and "tuned" without involving a fairly large number of people, preferably in an interactive sort of environment, hence the thought of using the smaller and more intimate grouping of a local unit for this purpose. It should also produce a few more contributed software items if members can "try them for size" with one anothe before plucking up the confidence to submit them to the library.

some of the other library programs

leaves me in some doubt, however.

...Having proposed some solutions I now, of course, have to put My Money where My Mouth is and offer to do some of the typing, vetting and, possibly, modifying any of such programs that you would suggest or allocate suitable ones, or to go through existing library discs with a view to rationalising titles, operation instructions. This I would gladly do if time is not too critical a factor, and if the programs are not too complex for My tiny Mind.

I would also like to help with the credit rating system for the software library.

Yours

Ted Lepley

(Ed. You have made some very valid points, Ted. I hope you have had a word with John Rogers by now and things are starting to move on this front. If there is anyone else willing to help, please write to John Rogers. The sooner the work is started the sooner the smaller will be the moving target.)

London NH8

My company is a Licensed Dealer in Securities, and we have written a program for calculating and printing contract notes for trading in stocks and shares. We would like to contact other writers and users of Apple financial software (?forecasting gold, commodity prices, charting, plotting moving averages, portfolio management, etc) - with a view to discussing common interests and, possibly, to co-operate on joint marketing. We are proposing to direct-mail other Licensed Dealers about our own program; it would be nice to offer a range of programs likely to be of interest to the financial community. My company would be prepared to set up a software division to provide marketing facilities for specialist programs likely to appeal to City and investment institutions. Please write to me through

Gerard Noel

SPECIAL OFFER TO BASUG MEMBERS

Turn your Apple II into a PRESTEL Terminal

MICROTANTEL
Prestel Adaptor
with Microcomputer
Interface

£160 + VAT

MICROVIEW
Software package
to interface the
Tantel Adaptor to
the Apple Computer
(includes demonstration program)
£20 + VAT

Send cheque for £207 (£180 + £27 VAT) to-

> BRUCETEL, 22 GILLS HILL, RADLETT, HERTS.

Book Reviews

STRUCTURED BASIC AND BEYOND

reviewed by Michael Tickle

I wish I'd had this book two years ago at the start of my struggle to learn Basiic programming.

Wayne Amsbury writes on the way to program effectively clearly, concisely, and with obvious enjoyment and, by default, shows me all the bad The Basic used is habits I have got into. non-specific to any machine, but variations are discussed where appropriate. The first third of the book describes Basic with examples using flowcharts, listings, and more importantly Pseudo Code. The rest of the book uses mainly Pseudo Code to explain the more complicated algorithms and is none the worse for that. The Pseudo Code as defined, forces the programmer to think clearly about what the program is required to do, and at the same time imposes a logical skeletal structure on the Basic Coding.

Some of the chapter headings give an idea of the range of algorithms covered, e.g. Loops and Structures, Files, Strings and linked lists, Stacks and Queues, tree-like Structures. Each chapter has self review, problems to solve and projects before moving onto the next chapter. Answers to the self review segment are at the end of the book.

Structured Basic and Beyond is aimed at university students and lecturers, to help produce professional programmers. But it is invaluable for 'do-it-yourselfers' and is the best book on programming without a doubt. I must alter my existing programs, if only to make them more understandable. If, of course, I had the time.

NEW from MICROSOURCE!

Where in the Apple s to the Apple Computer

By William F. Luebbert

And Toer Talk En description to date of Apple II
meate and Hatch at a description to date of Apple II
meate and Hatch at a description to date of Apple II
This Alias and Gazetteer of PEEKs, POKEs, and
CALLs state in tabular form over 2000 memory
information is presented numercally in the Alias,
and alphabetically in the Gazetteer. Note that
maps is BASIC, and Applesed it countins are lated,
and flormation is provided on their use.
The easy-to-use format includes.
The address in hexadecimal (useful for assembly
programming).
The address is agoed decinal (useful for assembly
programming).
The address is agoed decinal (useful for assembly
programming).
The address is agoed decinal (useful for assembly
programming).
The address is agoed decinal (useful for assembly
programming).
The decinal in the address or routine
histomation on the use and type of routine ASE
A description of the use and type of routine
WINDOW TO BLANKS. SET
TO TOP LET CORNER
Felsated register information. (A— Y—RECS

1 Branch Road, Park Street, St. Albans. Tel: Park Street (0727) 72917 128 pages 815 x 11 hiches.

1. INTIMATE INSTRUCTIONS IN INTEGER BASIC. 158 pages

2. <u>APPLESOFT LANGUAGE</u>. 254 pages. by John Sharp

Both paperbacks by Brian D. Blackwood and George H.Blackwood and published by Howard Sams at £5.55 and £7.65 respectively.

We start our book reviews this this month with two hot off the press!

A brief perusal suggests that these are excellent books both for the beginner and the programmer who basically knows his way around and is looking for ways of developing programming skills. The Integer version is written for APPLE II owners and is in many ways a condensed edition of the Applesoft version. It explains why Integer is different and limited and guides the reader through the basics of clearing the screen and using the PRINT statement down to complicated string handling, sorts etc.

The Applesoft version is a little less elementary in its approach, to begin with. It seems to assume that you have worked through the Applesoft Tutorial and it moves quite rapidly into formatting and variable usage. By the time you have reached the end of the book you will have worked hard and covered a wide range of topics.

Both books have a similar chapter structure, a list of objectives, a vocabulary to explain new words and phrases and a discussion section - the actual meat of the chapter. The Integer book also has exercises at the end of each chapter. The example programs as they are built up are explained well, and there are programs which will not work and an explanation why they won't. The stress is on program design, efficiency and flexibility, and flowcharting is not only explained but actually used. There are useful chapters on the use of lists, sorting, arrays, string handling but only a brief supplement on graphics, Hi and Lo-res. The chapters on using flags, stacks and pointers are a good preparation for machine code programming. The Integer book is not likely to sell too well in this country, since it is only useful if you have an APPLE II or wish to program in Integer and haven't got an Integer manual.

The Integer book contains an index, the Applesoft does not.

The Applesoft book is a natural successor to the APPLESOFT TUTORIAL, and well worth even the non-beginner taking a look at.

APPLE PANIC

A Review by Vernon Quaintance

APPLE PANIC is a disk based high-resolution colour graphics game from Broderbund Software.

When the disk is booted, the opening title appears on the screen. There is a man in the bottom right-hand corner and an apple on the left. Whilst the main program is still being loaded from disk, the apple crawls across to the man, runs up him and jumps on his head! A very nice piece of programming to whet one's appetite for the game itself. Once loaded fully, the disk can be removed from the drive.

The game area itself consists of the side view of five tiled floors, linked by ladders of various Several hostile little apples are distributed over these floors, and soon start chasing you.

The object of the game is to destroy the apples by digging holes in the brick floors for them to fall into. Having trapped an apple in a hole, one must then hit it through with one's spade in order to kill it. To make things harder, if one delays too long before knocking the apple down then it struggles free and continues the chase. Knocking an apple through a hole, or having it free itself also results in the hole being filled in.

The man's direction of movement is controlled using the "I", "J", "K" and "M" keys, which work exactly as expected. To dig a hole, one must press "A" whilst the man is moving; however he will only dig if his feet are in the correct position. Most of the children who helped me with this review thought getting the feet right was too hard. To knock an apple through a hole, or to fill up a hole, one must move the man to the edge of the hole and then press "S".

One can jump through holes without injury, this is a very useful way of avoiding an apple or of getting quickly to a lower level.

If one can dig holes exactly one above the other then extra points may be obtained by knocking the apples down through several layers at once.

One starts off with three lives but can gain extra lives by obtaining a large score, however there is another snag - one also gains more little

apples and even two other enemies, the Green Butterfly and the Mask of Death. Killing these is correspondingly more difficult but scores even higher points.

The game makes good use of the high-resolution graphics of the Apple and includes some sound effects, which could have been better used.

The review copy was loaned by Pete & Pam Computers of Streatham from whom the game is available at £18.34. Apple Panic was used each day at the recent PCW Show, on the Croydon ComputerTown stand. It was continuously popular with the children, many of whom came back time and again for another go. It has also been assessed at ComputerTown in Croydon. children all rate it as a good game and typical comments included: "...provides a lot of fun..."; "...a good game ... close to the arcade games..."; "...witty ... game of both skill and chance..."; "...A good game for all ages..."; "...Compulsive but without the destructive excitement of Invaders..." These comments are from children themselves,

but I thoroughly agree with them.

Thanks must go to Pete & Pam Computers for lending the game and also to the children who helped by playing it, especially to Kevin, Alan, Douglas and Johnathan who took the trouble to write down their comments for me.

your 2020 into professional Word-Processing system with ful1 lower case upper and display and proper shift-key operation.

with enable Plug-in fitting, /disable switch, 50 conflict existing with any hardware or software.

Complete with manual, fitting instructions and software on Applewr ter disk (including conversion, etc).

VAT, £46.50 inclusive of Postage, etc.

1 Branch Rd, Park Street. St.Albans.

Tel:Park Street (0727) 72917



FORTRAN-80

COBOL-80

Tou probably know ubout the SoftCare— our indicate that converse an Appla It into a 2.50% machine furning CP/M

You may even know that with the SoftCard, you get Microsoff's puwe ful BASIC — extended to support Apple graphics and many other features.

Now, whenever you're ready to get beyond the BASICs, the SoftCard can take you into whole new realms. Starting with two advanced language packages from Microsoft.

FORTRAN AND COBOL TO GO.

Now you can run the world's most popular engineering/scientific language and the most popular business language on your

business language on your Apple. Think what that means: you can choose from literally thousands of "off-the-shelf" applications programs, and have them working with little conversion. Or design your own programs, taking advantage of all the problem-solving power these specialized languages give you.

FORTRAN-80

A complete ANSI-standard FORTRAN (except COMPLEX type), with important enhancements. The extremely fast compiler performs extensive code

aptimization and entra indoesn't require code shareful to all un firms, your programs the typically executing times fucter they with Apple FORTHAM

FORTRANTIC Survice tearn if you know BASIC, and the package its cludes a hupe library of floating point, math, and I/O routines you can use in all your programs.

COBOL-80

Virtually the only choice for serious business data processing

It's ANSI 1974 standard COBOL, with many user-oriented features added: formatted screen support for CRT terminals, simple segmenting of very large programs, powerful file handling capability, trace debugging, and much more. A separate Sort package is coming soon.

FORTRAN-80 and COBOL-80 are just two more reasons why the Apple with SoftCard is the world's most versatile personal computer. Get all the exciting details from your Microsoft dealer today. And start getting beyond the BASICs.

Softcard and Microsoft are trademarks of Microsoft, Inc. Apple H is a registered trademark of Apple Computer Inc. Z-80 is a registered trademark of Zing, Inc. OPIM is a registered trademark of Zing, Inc. OPIM is a registered trademark of Zing, Inc. OPIM is a registered trademark of Zing.



Pete & Pam Computers

Waingate Lodge, Waingate Close, Rossendale, Lancs, BB4 7SQ Telephone Rossendale (0706) 227011



400 108th Ave. N.E., Suite 200 Bellevue, WA 98004 U.S.A. (206) 454-1315



Highest possible quality + lowest possible cost = EPSON +MICRO PERIPHERALS for the best of both worlds.

DECEM MX 100

| | Mutrix | | | Paper Handling | | Speed | | Max, Paper Width | | High Res. |
|--------------------|--------|-------|-------|----------------|---------|--------|---------|------------------|--------|-----------|
| | 7.15 | 9 . 7 | 9 . 9 | Friction | Tractor | 80 CPS | 135 CPS | 10" | 151/2" | & Italics |
| MX80 T | | | | | | | | | | |
| MX80 FT/1 | | | | • | | • | | • | | |
| MX80 FT/New Type 2 | | | | | • | | | • | | |
| MX82 | | | | | | | | | | • |
| MX100 | | | | • | • | • | | | • | • |
| MX130 | | • | | | | | | 100 | | |

The above machines have many more features including interfaces for Apple, PET (with PET Graphics), TRS80, Sharp, NEC, Hitachi, Nacom, Acorn, Super Brain, Video Genie, BBC Micro etc, some have correspondence quality printing and multiple character sets including international languages. Ring lan today for full details and specifications and printout samples. All machines usually ex-stock with next day delivery plus 12 months no-quibble guarantee.

Wholesalers and Distributors of quality Japanese Micro Products.

Micro Peripheral/ Ltd.

61 NEW MARKET SQUARE, BASINGSTOKE, HANTS. Telephone: 0256 56468

Europe's leading Epson Distributor and Supplier. Trade Sales - 0256 56469

JAPANESE OFFICE: 101 Abe Bldg. 4F, 2-42 Kanda Jinbocho, Chiyado-ku, Tokyo, Japan.